

Appendix B
VEGETATION BIBLIOGRAPHY

Vegetation

Complete Reference

- Alber, M. 2002. A conceptual model of estuarine freshwater inflow management. *Estuaries* 25: 1246-261.
- Alexander, H.D. and K.H. Dunton. 2006. Treated Wastewater Effluent as an Alternative Freshwater Source in a Hypersaline Salt Marsh: Impacts on Salinity, Inorganic Nitrogen, and Emergent Vegetation. *Journal of Coastal Research*. 22(2): 377-392.
- Alexander, R.B., R.A. Smith, and G.E. Schwarz. 2000. Effect of stream channel size on the delivery of nitrogen to the Gulf of Mexico. *Nature*. 403: 758-761.
- Alford, J.B. 2010. Changes in fish community structure in the Barataria Basin following freshwater diversion in the Mississippi River [Abstract]. Abstracts of the 31st Annual Meeting of the Louisiana Chapter of the American Fisheries Society "Invasive Species," Baton Rouge, LA January 28-29, 2010.
- Allison, M.A., G.C. Kineke, E.S. Gordon and M.A. Goni. 2000. Development and reworking of a seasonal flood deposit on the inner continental shelf off the Atchafalaya River. *Continental Shelf Research*. 20: 2267-2294.
- Allison, M.A., T.S.S. Bianchi, S.B.A. McKee and T.P. Sampere. 2007. Carbon burial on river-dominated continental shelves: Impact of historical changes in sediment loading adjacent to the Mississippi River. *Geophysical Research Letters*. 34: 6.
- Andrews J.D, D. Haven and D.B. Quayle. 1959. Freshwater kill of oysters (*Crassostrea virginica*) in James River, Virginia, 1958. *Proceedings of the National Shellfisheries Association*. 49: 29-49.
- Andrus, M.T. 2007. Sediment Flux and Fate in the Mississippi River Diversion at West Bay: Observation Study. Master's Thesis, Department of Oceanography and Coastal Sciences, Louisiana State University. (<http://etd.lsu.edu/docs/available/etd-11122007-184535/>)
- Aucoin, S. 2005. 2005/2006 Annual Inspection Report for Four Mile Canal Terracing and Sediment Trapping Project (TV-18). Louisiana Department of Natural Resources. Coastal Engineering Division, Lafayette, Louisiana.
- Babin, B. and T. Folse. 2005. 2005 Operations, Maintenance, and Monitoring Report for Brady Canal Hydrologic Restoration (TE-28). Louisiana Department of Natural Resources. Coastal Restoration Division, Thibodaux, Louisiana.
- Bailey, A.M., H.H. Roberts and J.H. Blackson. 1994. Diagenetic mineral formation in sediments of the Mississippi River delta plain. *Mineralogical Magazine* 58(A): 38-39.
- Baldwin, A.H. and I.A. Mendelssohn. 1988. Effects of salinity and water level on coastal marshes: an experimental test of disturbance as a catalyst for vegetation change. *Aquatic Botany*. 61: 255-268.
- Baldwin, A.H., K.L. McKee and I.A. Mendelssohn. 1996. The influence of vegetation, salinity, and inundation on seed banks of oligohaline coastal marshes. *American Journal of Botany*. 83: 470-479.
- Balkum, K.F. 2003. Ecological Review: Black Bayou Culverts Hydrologic Restoration (CS-29).
- Bargu, S., J.R. White, C. Li, J. Czubakowski, and R.W. Fulweiler. 2011. Effects of freshwater input on nutrient loading, phytoplankton biomass, and cyanotoxin production in an oligohaline estuarine lake. *Hydrobiologia*. 661: 377-389.
- Barisich, G. 1998. Caernarvon's impact on fisheries: A commercial fisherman's perspective. Pp. 42-46 in J. Horst Freshwater Diversions; A public forum. Louisiana Sea Grant College Program, Louisiana State University, Baton Rouge, Louisiana.
- Barletta M., A. Barletta-Bergen, U. Saint-Paul and G. Hubold. 2005. The role of salinity in structuring the fish assemblages in a tropical estuary. *Journal of Fish Biology*. 66: 45-72.
- Barnhart, L.B. 2003. Mineralogic study of sediments from nearshore Cat Island, Mississippi. Master's Thesis, Mississippi State University. 75 pp.
- Baron, J.S., N.L. Poff, P.L. Angemeir, C.N. Dahm, P.H. Gleick, N.G. Hairston, Jr. 2002. Meeting ecological and societal needs for freshwater. *Ecological Applications*. 12(5): 1247-1260.
- Barrett-Lennard, E.G. 2003. The interaction between waterlogging and salinity in higher plants: causes, consequences, and implications. *Plant and Soil* 253: 35-54.
- Batker, D., I. de la Torre, R. Costanza, P. Swedeen, J. Day, and R. Boumans. 2010. Gaining Ground; Wetlands, Hurricanes and the Economy: The Value of Restoring the Mississippi River Delta. *Earth Economics*. Tacoma, Wa. 100 pp.
- Bailey, S. E., J. Zoltek Jr., A.J. Hermann and L. Tortora. 1985. Experimental manipulation of nutrients and water in a freshwater marsh: Effects on biomass, decomposition and nutrient accumulation. *Limnology and Oceanography*. 30: 500-512.

- Bazley, D.R. and R.L. Jefferies. 1986. Changes in the composition and standing crop of salt-marsh communities in response to the removal of a grazer. *Journal of Ecology*. 74: 693-706.
- Beck, M. 2002. Forecasting Fecal Coliform Contamination in Louisiana Oyster Leases Using a Dynamic Linear Model. AWRA Spring Specialty Conference on Coastal Water Resources.
- Belhadjali, K. and A. Brass. 2004. Ecological Review: Freshwater Introduction South of Highway 82, Louisiana Department of Natural Resources.
- Bernard, S.K. 2002. M'sieu Ned's Rat? Reconsidering the origin of nutria in Louisiana: The E.A. McIlhenny Collection, Avery Island, LA, USA, La. Hist. 43: 281-293.
- Bernard, T. and P. Hopkins. 2007. 2006/2007 Annual Inspection Report for Caernarvon Outfall Management (BS-03a). Louisiana Department of Natural Resources. Coastal Restoration Division, New Orleans, Louisiana.
- Bernard, T. 2009. 2009 Annual Inspection Report for Delta Wide Crevasses (MR-09). Coastal Protection and Restoration Authority. Office of Coastal Protection and Restoration, New Orleans, Louisiana. 18 pp.
- Bianchi, T.S., S. Mitra and B.A. McKee. 2002. Sources of terrestrially derived carbon in the Lower Mississippi River and Louisiana shelf: Implications for differential sedimentation and transport at the coastal margin, *Marine Chemistry*. 77: 211-223.
- Bianchi, T.S., J.J. Galler and M.A. Allison. 2007. Hydrodynamic sorting and transport of terrestrially derived organic carbon in sediments of the Mississippi and Atchafalaya Rivers: *Estuarine, Coastal and Shelf Science*. 73: 211-222.
- Bierman, V. 1993. Performance Report for the Caloosahatchee Estuary salinity modeling. South Florida Water Management District expert assistance contract, Limno-Tech, Ann Arbor, MI.
- Black, B.K. 1998. The effectiveness of artificial crevassing in the Mississippi Delta in restoring intertidal elevations. Master's Thesis, University of Southwestern Louisiana, Lafayette, LA, USA.
- Blahnik, T. and J.W. Day. 2000. The effects of varied hydraulic and nutrient loading rates on water quality and hydrologic distributions in a natural forested wetland. *Wetlands* 20: 48-61.
- Boesch, D.F., M.N. Josselyn, A.J. Mehta, J.T. Morris, W.K. Nuttle, C.A. Simenstad, and D.J.P. Swift. 1994. Scientific assessment of coastal wetland loss, restoration and management in Louisiana. *Journal of Coastal Restoration*. Special Issue 20: 103
- Boesch, D.F., L. Shabman, L.G. Antle, J.W. Day Jr., R.G. Dean, G.E. Galloway, C.G. Groat, S.B. Laska, R.A. Luettich, Jr., W.J. Mitsch, N.N. Rabalais, D.J. Reed, C.A. Simenstad, B.J. Streever, R. B. Taylor, R.R. Twilley, C.C. Watson, J.T. Wells, and D.F. Whigham. 2006. A New Framework for Planning the Future of Coastal Louisiana after the Hurricanes of 2005. Working Group for Post-Hurricane Planning for the Louisiana Coast, University of Maryland Center for Environmental Science, Cambridge, Maryland.
- Bonnet Carre Reanalysis Technical Team. 1995. Assessment of Potential Water and Sediment Quality Impacts Resulting From the Bonnet Carre Freshwater Diversion Reanalysis Alternative.
- Boshart, W.M. 1998. Naomi freshwater diversion. Three-year comprehensive monitoring report (BA-03-MSTY-1098-1). Louisiana Department of Natural Resources. Coastal Restoration Division, New Orleans, Louisiana. 22 pp.
- Boshart, W.M. and V. Cook. 2004. 2004 Operations, Maintenance, and Monitoring Report for West Point A La Hache Siphon Construction (BA-04). Louisiana Department of Natural Resources. Coastal Restoration Division, New Orleans, Louisiana. 15 pp.
- Boumans, R., J.W. Day, Jr., G.P. Kemp and K. Kilgen. 1997. The effect of intertidal sediment fences on wetland surface elevation, wave energy and vegetation establishment in two Louisiana coastal marshes. *Ecological Engineering*. 9: 37-50.
- Boumans, R.M. and J.W. Day. 1994. Effects of two Louisiana marsh management plans on water and material flux and short term sedimentation. *Wetlands*. 14: 247-261.
- Boumans, R.M., M. Ceroni, D.M. Burdick, D.R. Cahoon, and C.W. Swarth. 2003. Sediment Elevation Dynamics in Tidal Marshes: Functional Assessment of Accretionary Biofilters. Final Report NOAA/UNH Cooperative Institute for Coastal and Estuarine Environmental Technology (CICEET), Durham, NH.
- Boustany, R.G. 2010. Estimating the Benefits of Freshwater Introduction into Coastal Wetland Ecosystems in Louisiana: Nutrient and Sediment Analyses. *Ecological Restoration*. 28(2): 160-174.
- Bowen, J.L. and I. Valiela. 2004. Nitrogen loads to estuaries: using loading models to assess the effectiveness of management options to restore estuarine water quality. *Estuaries* 27: 482-500.
- Bowman, P.E., W.S. Perret and J.E. Rousell. 1995. Freshwater Introduction and Implications for Fisheries Production in Louisiana, Louisiana Department of Wildlife and Fisheries, non-published manuscript.

- Boynton, W.R. and W.M. Kemp. 2000. Influence of river flow and nutrient loading on selected ecosystem processes and properties in Chesapeake Bay.
- Brammer, A., Z. Rodriguez del Rey, E. Spalding and M. Poirrier. 2007. Effects of the 1997 Bonnet Carré Spillway Opening on Infaunal Macroinvertebrates in Lake Pontchartrain, Louisiana. *Journal of Coastal Research*. Fall 2007: 1292-1303.
- Brantley, C.G., J.W. Day Jr., R.R. Lanea, E. Hayfielde, J.N. Daya and J.Y. Koa. 2008. Primary production, nutrient dynamics, and accretion of a coastal freshwater forested wetland assimilation system in Louisiana. Department of Oceanography and Coastal Sciences, School of the Coast and Environment, Louisiana State University, Baton Rouge.
- Brantley, C.G. and S.G. Platt. 1992. Experimental evaluation of nutria herbivory on bald cypress. *Proceedings of the Louisiana Academy of Sciences*. 55: 21-25.
- Brantley, C.G. 2005. Nutrient Interactions, Plant Productivity, Soil Accretion, and Policy Implications of Wetland Enhancements in Coastal Louisiana. Master's Thesis, Southeastern Louisiana University, Hammond, Louisiana. USA.
- Bratkovich, A., S.P. Dinnel and D.A. Goolsby. 1994. Variability and prediction of freshwater and nitrate fluxes for the Louisiana-Texas shelf: Mississippi and Atchafalaya River source functions. *Estuaries*. 17(4): 766-778.
- Breaux, A.S. Farber and J. Day. 1995. Using natural coastal systems for wastewater treatment: An economic benefit analysis. *Journal of Environmental Management*. 44: 285-291.
- Brewer, J.S. and J.B. Grace. 1990. Plant community structure in an oligohaline tidal marsh. *Vegetation*. 90: 93-107.
- Brix H. and S.L. Miao. 2005. Growth and nutrient responses of *Elocharis cellulosa* (Cyperaceae) to phosphate level and redox intensity. *American Journal of Botany*. 92:1457-1466.
- Browder, J.A. 1985. Relationship between pink shrimp production on the Tortugas grounds and water flow patterns in the Florida Everglades. *Bulletin of Marine science*. 37: 839-856.
- Brown, L.R. 2003. Will Tidal Wetland Restoration Enhance Populations of Native Fishes? *San Francisco Estuary and Watershed Science*. 1(1).
- Bunn, S.E. and A.H. Arthington. 2002. Basic Principles and Ecological Consequences of Altered Flow Regimes for Aquatic Biodiversity. *Environmental Management*. 30(4): 492-507.
- Burdick, D.M. and I.A. Mendelssohn. 1987. Waterlogging responses in dune, swale and marsh populations of *Spartina patens* under field conditions. *Oecologia*. 74(3): 321-329.
- Busch, J., I.A. Mendelssohn, B. Lorenzen, H. Brix and S. Miao. 2006. A rhizotron to study root growth under flooded conditions. *Flora*. 201: 429-439.
- Butler, P.A. 1954. The southern oyster drill. *Proceedings of the National Shellfish Association* 44:67-75.
- Butler, P.A. 1949. Gametogenesis in the oyster under conditions of depressed salinity. *The Biological Bulletin*. 96(3): 263-269.
- Butler, P.A. 1949. An investigation of oyster producing areas in Louisiana and Mississippi damaged by flood waters of 1945. U.S. Dept. Interior, U.S. Fish and Wildlife Service, Fisheries Report No. 8. 29pp.
- Butler, P.A. and J.B. Engle. 1950. The 1950 opening of the Bonnet Carre Spilway: Its effect on oysters. *Spec. Scient. Rep't. No. 14*: 1-10. Fish and Wildlife Service.
- Buzan, D., W. Lee, J. Culbertson, N. Kuhn and L. Robinson. 2008. Positive relationship between freshwater inflow and oyster abundance in Galveston Bay, Texas. *Estuaries and Coasts*.
- Cable, J.E., E.M. Swenson, G.A. Snedden and C.M. Swarzenski. 2007. Surface Water Hydrology in Upper Breton Sound Basin, Louisiana: Effects of the Caernarvon Diversion, Louisiana Department of Natural Resources, Baton Rouge, LA.
- Caffrey, J. and J. Day. 1986. Variability of nutrient and suspended sediments in Fourleague Bay, Louisiana, and the role of physical factors. *Estuaries*. 9: 295-300.
- Caffery, R.H. and M. Schexnayder. 2002. Fisheries Implications of freshwater reintroduction, Interpretive topic series on coastal wetland restoration in Louisiana, Coastal wetland planning, protection, and restoration Act eds. National Sea Grant Library No. LSU G-2-003, 8pp.
- Caffey, R.H. and M. Schexnayder. 2002. Floods, Fisheries, and River Diversions in Coastal Louisiana. *Coastal Water Resources (Proceedings of the American Water Resources Association)*: 301-306.
- Caffrey, J.M and W.M.Kemp. 1992. Influence of the submersed plant, (*Potamogeton perfoliatus*), on nitrogen cycling in estuarine sediments. *Limnology and Oceanography* 37(7): 1483-1495.

- Cahoon, D.R., P.E. Marin, B.K. Black and J.C. Lynch. 2000. A Method for Measuring Vertical Accretion, Elevation, and Compaction of Soft, Shallow-Water Sediments. *Journal of Sedimentary Research*. 70(5): 1250-1253.
- Carpenter, K. 2005. Effects of Adding Sediment to a Freshwater Thin Mat Floating Marsh. Master's Thesis, Louisiana State University. Baton Rouge, Louisiana. USA.
- Carpenter, K., C.E. Sasser, J.M. Visser, and R.D. DeLaune. 2007. Sediment input into a floating freshwater marsh: Effects on soil properties, buoyancy, and plant biomass. *Wetlands*. 27(4): 1016-1024.
- Carty, B., B. Richard, and P. Hopkins. 2007. 2006 Operations, Maintenance, and Monitoring Report for Hopedale Hydrologic Restoration (PO-24). Louisiana Department of Natural Resources. Coastal Restoration Division and Coastal Engineering Division, New Orleans, Louisiana.
- Carter, B. 2003. Monitoring Plan for Caernarvon Diversion Outfall Management Project (BS-03a). Louisiana Department of Natural Resources. Coastal Restoration Division.
- Carter, B. and T. Bernard. 2007. 2004 Operations, Maintenance, and Monitoring Report for Caernarvon Outfall Management (BS-03a). Louisiana Department of Natural Resources. Coastal Restoration Division, New Orleans, Louisiana.
- Castellanos, D. and H. Juneau. 2004. 2004 Operations, Maintenance, and Monitoring Report for Black Bayou Hydrologic Restoration (CS-27), Louisiana Department of Natural Resources. Coastal Restoration Division, Lafayette, Louisiana.
- Cavanaugh, J.C., W.B. Richardson, E.A. Strauss and L.A. Bartsch. 2006. Nitrogen dynamics in sediment during water level manipulation on the upper Mississippi River. *River Research and Applications*. 22(6): 651-666.
- Center for Bioenvironmental Research and Louisiana Aquatic Invasive Species Task Force. 2005. State Management Plan for Aquatic Invasive Species in Louisiana. 160 pp.
- Chabrek, R.A. 1988. *Ecology and Wildlife Management*. 1988. University of Minnesota Press.
- Chabreck, R.H. 1972. Vegetation, Water and Soil Characteristics of the Louisiana Coastal Region. Louisiana State University, Agricultural Experiment Station Bulletin No. 664, Baton Rouge, LA, USA.
- Chabreck, R.H. and J.A. Nyman. 1989. The effects of weirs on plants and wildlife in the coastal marshes of Louisiana. pages 142-150 In W.G. Duffy and D. Clark (eds.). *Marsh management in coastal Louisiana: effects and issues--proceedings of a symposium*. U.S. Fish and Wildlife Service and Louisiana Department of Natural Resources. U.S. Fish and Wildlife Service Biol. Rep. 89(22): 378 pp.
- Chabreck, R.H. and R.E. Condrey. 1979. *Common Vascular Plants of the Louisiana Marsh*. Louisiana State University Center for Wetland Resources, Baton Rouge, LA.
- Chambers, J.L., W.H. Conner, J.W. Day Jr., S.P. Faulkner, E.S. Gardiner, M.S. Hughes, R.F. Keim, S.L. King, K.W. McLeod, C.A. Miller, J.A. Nyman and G.P. Shaffer. 2005. Conservation, Protection and Utilization of Louisiana's Coastal Wetland Forests. Final Report to the Governor of Louisiana from the Coastal Wetland Forest Conservation and Use Science Working Group. 102pp.
- Chao, X., Y. Jia, and A.K.M. Azad Hossain. 2010. Environmental Impact of Flow, Sediment and Salinity on Ecosystem of Lake Pontchartrain due to flood release from Bonnet Carré Spillway. Paper presented at the 2010 International Symposium on Ecohydraulics in Seoul, Korea. 8pp.
- Chatry, M., D. Chew. 1985. Freshwater diversion in coastal Louisiana: recommendations for development of management criteria. 4th Coastal Marsh and Estuary Mgt. Symposium. 71-84.
- Chatry, M. and M.J. Millard. 1986. Effects of 1983 Floodwaters on Oysters in Lake Borgne, the Louisiana Marsh, Western Mississippi Sound and Chandeleur Sound. Louisiana Department of Wildlife and Fisheries Technical Bulletin No. 40:1-13.
- Chatry, M., R.J. Dugas and K.A. Easley. 1983. Optimum salinity regime for oyster production on Louisiana's state seed grounds. *Contributions in Marine Science*. 26: 81-94.
- Chatry, M.D. Chew. 1985. Freshwater diversion in coastal Louisiana: recommendations for development of management criteria. In: Fourth Coastal Marsh Estuary Management Symposium. pp. 71-84.
- Childers, D. and J. Day. 1988. A flow-through flume technique for quantifying nutrient and materials fluxes in microtidal estuaries. *Estuarine, Coastal and Shelf Science* 27(5): 483-494.
- Childers, D. and J. Day. 1990. Marsh-water column exchanges in two Louisiana estuaries. II. Nutrient dynamics. *Estuaries*. 13(4): 407-417.
- Childers, D., J. Day and R. Muller. 1990. Relating climatological forcing to coastal water levels in Louisiana estuaries and the potential importance of El Nino-Southern oscillation events. *Climate Research*. 1: 31-42.
- Christensen, J.D., M.E. Monaco, T.A. Lowery. 1997. An index to assess the sensitivity of Gulf of Mexico species to changes in estuarine salinity regimes. *Gulf Research Reports* 9(4):219-229.

- Christensen, N.L. 1988. Vegetation of the Southeastern Coastal Plain. In North American Terrestrial Vegetation. M.G. Barbour and W.D. Billings (eds.). Cambridge University Press, Cambridge, UK. p. 317-363.
- Chu F.E. and La Peyre J.F., C.S. Bureson. 1993. Perkinsus marinus infection and potential defense-related activities in eastern oysters, (*Crassostrea virginica*), salinity effects. *Journal of Invertebrate Pathology*. 62: 226-232.
- Chu, F.E. and A.K. Voley. 1997. Disease processes of the parasite *Perkinsus marinus* in eastern oyster *Crassostrea virginica*: minimum dose for infection initiation, and interaction of temperature, salinity and infective cell dose. *Diseases of Aquatic Animals* 28: 61-68.
- Clark, D. and J. Mazourek. 2005. Environmental Assessment: Freshwater Introduction South of Highway 82, U.S. Fish and Wildlife Service, Lafayette, LA.
- Clarke, S.J. 2002. Vegetation growth in rivers: influences upon sediment and nutrient dynamics. *Progress in Physical Geography*. 26(2): 159-172.
- Cloern, J.E. 2007. Habitat Connectivity and Ecosystem Productivity: Implications from a Simple Model. *The American Naturalist*. 169(1): 13 pp.
- Cobb M., T.R. Keen, and N.D. Walker. 2008. Modeling the Circulation of the Atchafalaya Bay System. Part 1: Model Description and Validation. *Journal of Coastal Research*. 24(4): 1036-1047.
- Cobb M., T.R. Keen, and N.D. Walker. 2008. Modeling the Circulation of the Atchafalaya Bay System. Part 2. River Plume Dynamics during Cold Fronts. *Journal of Coastal Research*. 24(4): 1048-1062.
- Conner, W., J. Day and W. Slater. 1993. Bottomland hardwood productivity: case study in a rapidly subsiding, Louisiana, USA, watershed. *Wetlands Ecology and Management*. 2: 189-197.
- Conner, W., G. Cramer and J. Day. 1980. Vegetation of the northshore marshes and westshore swamps of Lake Pontchartrain, Louisiana. *Proceedings of the Louisiana Academy of Sciences* 43: 139-145.
- Conner, W.H. and J.W. Day Jr. 1991. Leaf litter decomposition in three Louisiana freshwater forested wetland areas with different flooding regimes. *Wetlands*. 11(2): 303-312.
- Conner, W.H., J.G. Gosselink and R.T. Parrondo. 1981. Comparison of the vegetation of three Louisiana swamp sites with different flooding regimes. *American Journal of Botany*. 68: 320-331.
- Conner, W.H. and J.W. Day Jr. 1992. Water level variability and litterfall productivity of forested freshwater wetlands in Louisiana. *American Midland Naturalist*. 128: 237-245.
- Conner, W.H. and J.W. Day Jr. 1992. Diameter growth of *Taxodium distichum* (L.) Rich. and *Nyssa aquatica* L. from 1979-1985 in four Louisiana swamp stands. *American Midland Naturalist*. 127:290-299.
- Corbett, D.R., B.A. McKee and D. Duncan. 2004. An evaluation of mobile mud dynamics in the Mississippi River deltaic region. *Marine Geology*. 209: 91-112.
- Costanza, R., F.H. Sklar, and M.L. White. 1990. Mississippi River Sediment, Nutrient, and Freshwater Redistribution Study, Modeling Coastal Landscape Dynamics. *BioScience*. 40(2): 91-107.
- Cowan, J.H., R.E. Turner, and D.R. Cahoon. 1988. Marsh management plans in practice: Do they work in coastal Louisiana, USA? *Environmental Management*. 12: 37-53.
- CPRA. 2010. Davis Pond Freshwater Diversion Project. Draft Annual Report. 23 pp.
- CPRA. 2010. Caernarvon Freshwater Diversion Project. Draft Annual Report. 33 pp.
- Craft, C.B., J. Vymazal and C.J. Richardson. 1995. Response of Everglades plant communities to nitrogen and phosphorus additions. *Wetlands*. 15: 258-271.
- Crain, C.M., B.R. Silliman, S.L. Bertness, and M.D. Bertness. 2004. Physical and biotic drivers of plant distribution across estuarine salinity gradients. *Ecology*. 85(9): 2539-2549
- Curole, G. 2003. Monitoring Plan for Atchafalaya Sediment Delivery (AT-02). Louisiana Department of Natural Resources. Coastal Restoration Division. 14 pp.
- CWPPRA. 2003. Coastwide nutria control program (LA-03B) fact sheet. Coastal Wetland Planning, Protection, and Restoration Act Task Force. Available: <http://www.lacoast.gov/projects/list.asp>.
- CWPPRA, 2000. Mississippi River Sediment, Nutrient, and Freshwater Redistribution Study. Draft Report and Environmental Resource Document. July, 2000.

- Czubakowski, J. 2010. Estuarine Phytoplankton Response to Annual and Manipulated River Inputs. Master's Thesis, Louisiana State University. 67 pp.
- Dagg, M.J., T.S. Bianchi, G.A. Breed, W.J. Cai, S. Duan, and H. Liu. 2005. Biogeochemical Characteristics of the Lower Mississippi River, USA During June 2003. *Estuaries*. 28(5): 664-674.
- Darby, F.A. and R.E. Turner. 2008. Below- and Aboveground Biomass of *Spartina alterniflora*: Response to Nutrient Addition in a Louisiana Salt Marsh. *Estuaries and Coasts*. 31: 326-334.
- Darnell, R.M. 1962. Ecological History of Lake Pontchartrain, an Estuarine Community. *American Midland Naturalist*. 68(2): 434-444.
- Davies, D.K. and R.W. Moore. 1970. Dispersal of Mississippi Sediment in the Gulf of Mexico. *Journal of Sedimentary Petrology*. 40(1): 339-53.
- Day, J.C. Hall, M. Kemp and A. Yanez-Arancibia. 1989. *Estuarine Ecology*. John Wiley and Sons, Inc. Interscience, New York. 576 pp.
- Day, J., A. Rismondo, F. Scarton, D. Are and G. Cecconi. 1998. Relative sea level rise and Venice Lagoon wetlands. *Journal of Coastal Conservation*. 4: 27-34.
- Day, J. 1983. Carbon dynamics of estuarine ponds receiving treated sewage wastes. *Estuaries*. 6(1): 10-19.
- Day, J., C. Weiss and H. Odum. 1970. Carbon Budget and Total Productivity of an Estuarine Oxidation Pond Receiving Secondary Sewage Effluent. In: McKinney, R.E. ed., *Second International Symposium for waste Treatment Lagoons*. Lawrence, University of Texas. pp. 8100-8113.
- Day, J.W., W.H. Conner and G.P. Shaffer. 2006. The importance of pulse physical events for the sustainability of Louisiana coastal forested wetlands. *Hydrology and Management of Forested Wetlands Proceedings of the International Conference*. American Society of Agricultural and Biological Engineers, St. Joseph, MI.
- Day, J.W., R.R. Christian, D.M. Boesch, A. Yanez-Arancibia, J. Morris, and R.R. Twilley. 2008. Consequences of Climate Change on the Ecogeomorphology of Coastal Wetlands. *Estuaries and Coasts*. 31: 477-491.
- Day, J.W., J.E. Cable, J.H. Cowan, Jr., R. DeLaune, K. De Mutsert, B. Fry, H. Mashriqui, D. Justic, P. Kemp, R.R. Lane, J. Rick, S. Rick, L.P. Rozas, G. Snedden, E. Swenson, R.R. Twilley, and B. Wissel. 2009. The impacts of pulsed reintroduction of river water on a Mississippi Delta Coastal Basin. *Journal of Coastal Research*. (SI54): 225-243.
- Day, J.W., D.F. Boesch, E.J. Clairain, G.P. Kemp, S.B. Laska, and W.J. Mitsch. 2007. Restoration of the Mississippi Delta: lessons from Hurricanes Katrina and Rita. *Science*. 23: 1679-1684.
- Day, J.W., J. Ko, J. Cable, J.N. Day, B. Fry, and E. Hyfield. 2003. Pulses: The Importance of Pulsed Physical Events for Louisiana Floodplains and Watershed Management. *First Interagency Conference on Research in the Watersheds*, eds. K. G. Renard, S. A. McElroy, W. J. Gburek, H. E. Canfield, and R. L. Scotted. Economics, U.S. Department of Agriculture, Agricultural Research Service.
- Day, J.W., N.P. Psuty and B.C. Perez. 2000. The Role of Pulsing Events in the Functioning of Coastal Barriers and Wetlands: Implications for Human Impact, Management and the Response to Sea Level Rise. In: M.P. Weinstein, M.P., Kreeger, D.A. eds., *Kluwer Academic Publishers*. Norwell, MA. p 875.
- Day, J.W., D. Pont, P.E. Henzel, P.E. and C. Ibanez. 1995. The impacts of sea level rise on the deltas in the Gulf of Mexico and the Mediterranean: the importance of pulsing events to sustainability. *Estuaries*. 18(4): 637-647.
- Day, J.W., W. Smith, W. Stowe and P. Wagner. 1973. Community structure and carbon budget of a salt marsh and shallow bay estuarine system in Louisiana. *Center for Wetland Resources, Louisiana State University*. Baton Rouge. Publ. No. LSU-SG-72-04.
- Day, J.W., G.P. Shaffer, L.D. Britsch, D.J. Reed, S.R. Hawes and D. Cahoon. 2000. Pattern and process of land loss in the Mississippi Delta: A spatial and temporal analysis of wetland habitat change. *Estuaries*. 23(4): 425-438.
- Day, Jr., J.W., A. Westphal, R. Pratt, E. Hyfield, J. Rybczyk, and G.P. Kemp. 2006. Effects of long-term municipal effluent discharge on the nutrient dynamics, productivity, and benthic community structure of a tidal freshwater forested wetland in Louisiana. *Ecological Engineering*. 27: 242-257.
- Day, Jr., J.W. and Mitsch, W.J. 2005. Restoration of Wetland and Water Quality in the Mississippi-Ohio-Missouri (MOM) River Basin and Louisiana Delta. *Louisiana Department of Natural Resources, Baton Rouge, Louisiana*. 38 pp.
- Day, J.W. Jr. and W.H. Conner, eds. 1987. *The ecology of Barataria Basin, Louisiana: an estuarine profile*. National Wetlands Research Center, U.S. Fish Wildl. Serv. Biological Report 85(7.13). 165 pp.
- De Groot C.J. and C. Van Wiick. 1993. The impact of desiccation of a freshwater marsh (*Garcines Nord, Camargue, France*) on sediment-water-vegetation interactions. *Hydrobiologia*. 252:83-94.

- de Mutsert, K. 2010. The effects of a freshwater diversion on nekton species biomass distributions, food web pathways, and community structure in a Louisiana Estuary. Ph.D. Dissertation, Louisiana State University. 199 pp.
- DeAngelis D.L., J.C. Trexler and W.F. Loftus. 2005. Life history tradeoffs and community dynamics of small fishes in a seasonally pulsed wetland. *Canadian Journal of Fisheries and Aquatic Science*. 62: 781-790.
- Delaune, R.D., C.N. Riddy, and W.H. Patrick. 1981. Accumulation of plant nutrients and heavy metals through sedimentation processes and accretion in a Louisiana salt marsh. *Estuaries*. 4(4): 328-334.
- Delaune, R.D., S.R. Pezeshki and A. Jugsujinda. 2005. Impact of Mississippi River Freshwater Reintroduction on *Spartina Patens* Marshes: Responses to Nutrient Input and Lowering of Salinity. *Wetlands*. 25(1): 155-61.
- DeLaune, R.D., C.W. Lindau, A. Jugsujinda, and R.R. Iwai. 2001. Denitrification in Water Bodies Receiving Mississippi River Freshwater Diversion. Final Report to Louisiana Water Resources Research Institute.
- DeLaune, R.D., C.W. Lindau, A. Jugsujinda and R.R. Iwai. Denitrification in Wetlands Receiving Mississippi River Freshwater Diversion.
- DeLaune, R.D. and A. Jugsujinda. 2003. Denitrification potential in Louisiana wetland receiving diverted Mississippi river water. *Chemistry and Ecology*. 19: 411-418.
- DeLaune R.D., A. Jugsujinda, J.L. West, C.B. Johnson, M. Kongchum. 2005. A screening of the capacity of Louisiana freshwater wetlands to process nitrate in diverted Mississippi River water. *Ecological Engineering*. 25: 315-321.
- DeLaune, R.D. and S.R. Pezeshki. 1988. Relationships of mineral nutrients to growth of *Spartina alterniflora* in Louisiana salt marshes. *Northeast Gulf Science*. 10: 55-60.
- Delaune, R.D., J.H. Whitcomb, W.H. Patrick Jr., J.H. Pardue, S.R. Pezeshiki. 1989. Accretion and canal impacts in a rapidly subsiding wetland. *Estuaries*, 12(4):247-259.
- DeLaune R.D., A. Jugsujinda, G.W. Peterson W.H. Patrick Jr. 2003. Impact of Mississippi River freshwater reintroduction on enhancing marsh accretionary processes in a Louisiana estuary. *Estuarine, Coastal and Shelf Science* 58: 653-662.
- Delaune, R.D. 2002. Development of methods and guidelines for use in maximizing marsh creation at a Mississippi River freshwater diversion site. DNR Contract No. 2512-98-7.
- Delcourt, P.A., H.R. Delcourt, R.C. Brister and L.E. Lackey. 1980. Quaternary vegetation history of the Mississippi embayment. *Quaternary Research*. 13: 111-132.
- Dill, N.L. 2007. Hydrodynamic Modeling of a Hypothetical River Diversion Near Empire, Louisiana. Louisiana State University.
- Donner, S.D., C.J. Kucharik, and J.A. Foley. 2004. Impact of changing land use practices on nitrate export by the Mississippi River. *Global Biogeochemical Cycles*. 18(GB 1028): 21 pp.
- Dortch, Q., T. Peterson and R.E. Turner. 1998. Algal bloom resulting from the opening of the Bonnet Carre´ Spillway in 1997. In: *Basics of the Basin Research Symposium*, May 12-13, University of New Orleans, Louisiana.
- Draut, A.E., G.C. Kineke, D.W. Velasco, M.A. Allison and R.J. Prime. 2005. Influence of the Atchafalaya River on recent evolution of the Chenier Plain inner continental shelf, northern Gulf of Mexico. *Continental Shelf Research*. 25: 91-112.
- Drinkwater, K.F. and K.T. Frank. 1994. Effects of river regulation and diversion on marine fish and invertebrates. *Aquatic Conservation: Freshwater and Marine Ecosystems*. 4: 1350151.
- Dugas, R.J. and W.S. Perret. 1975. The effects of spring floodwaters on oyster populations in Louisiana. *Proceedings of the 29th Annual Conference of the Southeastern Association of the Game and Fish Commission* pp. 208-214.
- Edgar, G.J., C.R. Samson, and N.S. Barrett. 2005. Species Extinction in the Marine Environment: Tasmania as a Regional Example of Overlooked Losses in Biodiversity. *Conservation Biology*. 19(4): 1294-1300.
- Ensminger, A. and C. Simon. 1993. Vegetative Delineation Report, Bohemia Freshwater Diversion (BS-1).
- Ensminger, A. and C. Simon. 1993. Vegetative Delineation Report, Naomi Freshwater Diversion Siphon Outfall Area (BA-3).
- EPA. 1987. Saving Louisiana's Coastal Wetlands: The Need For a Long-Term Plan of Action. United States Environmental Protection Agency. A Report of the Louisiana Protection Panel held in Grand Terre Island, September 17-19, 1985. pp 49.
- Estevez, E.D. 2000. A review and application of literature concerning freshwater flow management in riverine estuaries. Mote Marine Laboratory Report No. 680. South Florida Water Management District. 70 pp.

- Etzold, D.J. and D.C. Williams. 1974. Data relative to the introduction of supplemental fresh water under periodic controlled conditions for the purpose of enhancing seafood productivity in Mississippi and Louisiana estuaries. Mississippi-Alabama Sea Grant Consortium Report. COM-75-10061. Ocean Springs, Mississippi.
- Evers, D.E., C.E. Sasser, J.G. Gosselink, D.A. Fuller and J.M. Visser. 1998. The impact of vertebrate herbivores on wetland vegetation in Atchafalaya Bay, Louisiana. *Estuaries*. 21: 1-13.
- Faulkner, S.P., J.L. Chambers, W.H. Conner, R.F. Keim, J.D. Day, E.S. Gardiner, and M.S. Hughes. 2007. Conservation and Use of Coastal Wetland Forests in Louisiana. p. 447-460 In: W.H. Conner, T.W. Doyle, and D.W. Krauss (eds.). *The Ecology of Tidal Freshwater Swamps of the Southeastern United States*. Springer. The Netherlands.
- Feyrer, F., T. Sommer, and W. Harrell. 2006. Importance of Flood Dynamics versus Intrinsic Physical Habitat in Structuring Fish Communities: Evidence from Two Adjacent Engineered Floodplains on the Sacramento River, California. *North American Journal of Fisheries Management*. 26: 408-417.
- Fink, D.F. and W.J. Mitsch. 2007. Hydrology and Nutrient Biogeochemistry in a Created River Diversion Oxbow Wetland. *Ecological Engineering*. 30(2): 93-102.
- Finkl, C.W. and S.M. Khalil.. 2005. Saving America's Wetland: Strategies for Restoration of Louisiana's Coastal Wetlands and Barrier Islands - Introduction. *Journal of Coastal Research*. Special Issue 44: 7-39.
- Fisher, K.J. 2003. Response of *Panicum hemitomon* Shultes to environmental change. Master's Thesis. Southeastern Louisiana University. Hammond, Louisiana.
- Fisher, W.S. and J.T. Winstead. 2005. Influence of altered freshwater flows on eastern oysters. *Journal of Shellfish Research*. 24(2): 654.
- FitzGerald, D.M. I. Georgiou, Z. Hughes, M. Kulp, M.D. Miner, and S. Penland. 2005. Backbarrier and Sea Level Controls on Tidal Prism and their Subsequent Impacts on Adjacent Barrier Islands. *Gulf Coast Association of Geological Societies Transactions*. 55: 223.
- Flores, F., J. Day and R. Brese o-Dueas. 1987. Structure, litter fall, decomposition, and detritus dynamics of mangroves in a Mexican coastal lagoon with an ephemeral inlet. *Marine Ecology Progress Series*. 35: 83-90.
- Flores-Verdugo, F., J. Day, L. Mee and R. Brise o-Due as. 1988. Phytoplankton production and seasonal biomass variation of seagrass *Ruppia maritima* L. in a tropical Mexican lagoon with an ephemeral inlet. *Estuaries*. 11: 51-56.
- Flynn, K.M., K.L. McKee and I.A. Mendelsohn. 1995. Recovery of freshwater marsh vegetation after a saltwater intrusion event. *Oecologia*. 103: 63-72.
- Folke, C., S. Carpenter, B. Walker, M. Scheffer, T. Elmqvist, L. Gunderson, and C.S. Holling. 2004. Regime Shifts, Resilience, and Biodiversity in Ecosystem Management. *Annual Review of Ecology, Evolution, and Systematics*. 35: 557-581.
- Folse, T. and B. Babin. 2004. 2004 Operations, Maintenance, and Monitoring Report for Brady Canal Hydrologic Restoration (TE-28). Louisiana Department of Natural Resources. Coastal Restoration Division, Thibodaux, Louisiana. 39 pp.
- Folse, T. 2003. Monitoring Plan for Brady Canal Hydrologic Restoration (TE-28). Louisiana Department of Natural Resources. Coastal Restoration Division.
- Font, W.F. 2009. Mitigating the spread of zebra mussels into wetlands from Mississippi River diversions. Lake Pontchartrain Basin Foundation Research Program.
- Fontenot, J. 2006. Seasonal Abundance, GSI, and Age Structure of Gizzard Shad (*Dorosoma cepedianum*) in the Upper Barataria Estuary. Master's Thesis. Nicholls State University. 78 pp.
- Ford, M.A., D.R. Cahoon and J.C. Lynch. 1999. Restoring marsh elevation in a rapidly subsiding salt marsh by thin layer deposition of dredged material. *Ecological Engineering*. 12: 189-205.
- Ford, S.E. 1985 Effects of salinity on survival of the MSX parasite *Haplosporidium nelsoni* (Haskin, Stauber, and Mackin) in oysters. *Journal of Shellfish Research*. 5(2):85-90
- Fraser, L.H. and P.A. Keddy eds. 2005. *The World's Largest Wetlands: Ecology and Conservation*. Cambridge University Press, Cambridge, UK.
- Gabrey, S.W. 2005. Impacts of the nutria removal program on the diet of American Alligators (*Alligator mississippiensis*) in south Louisiana. Report to Louisiana Department of Wildlife and Fisheries. Baton Rouge, LA, USA.
- Gagliano, S.M. and K.M. Wicker. 2003. Geological Characterization of Potential Receiving Areas for the Central and Eastern Terrebonne Basin Freshwater Delivery Project, Baton Rouge, LA.

- Gagliano, S.M., J.L. van Beek, J.L. 1993. A Long-Term Plan for Louisiana's Coastal Wetlands. Louisiana Department of Natural Resources: Office of Coastal Restoration and Management. Baton Rouge, Louisiana. pp 20.
- Galler, J.J., T.S. Bianchi, M.A. Allison, L.A. Wysocki, and R. Campanella. 2003. Biogeochemical implications of levee confinement in the lowermost Mississippi River, EOS Transactions of the American Geophysical Union. 84(44): 469.
- Galler, J.J., T.S. Bianchi, M.A. Allison, R. Campanella, and L. Wysocki. 2003. Sources of aged terrestrial organic carbon to the Gulf of Mexico from relict strata in the Mississippi River. EOS Transactions of the American Geophysical Union. 84: 469-476.
- Galler, J.J. and M.A. Allison. 2007. Estuarine controls on fine-grained sediment storage in the lower Mississippi and Atchafalaya Rivers. Geological Society of America Bulletin, 120(3/4): 386-398.
- Galler, J.J. 2004. Seasonal storage of fine-grained sediment in the lowermost Mississippi and Atchafalaya rivers and an analysis of associated terrestrial organic carbon. Ph.D. dissertation. Tulane University, New Orleans, LA. 192 pp.
- Gammelsrod, T. 1992. Variation in shrimp abundance on the Sofala Bank, Mozambique, and its relation to the Zambezi River runoff. Estuarine, Coastal and Shelf Science. 35: 91-103.
- Gardner, L.M. 2008. Denitrification enzyme activity as an indicator of nitrate loading in a wetland receiving diverted Mississippi River water. Master's Thesis, Louisiana State University. 119 pp.
- Gauthier, J.D., T.M. Soniat, and J.S. Rogers. 2007. A parasitological survey of oysters along salinity gradients in coastal Louisiana. Journal of the World Aquaculture Society 21(2): 105-115.
- GEC. 2009. Biological and recreational monitoring of the impacts of the 2008 Bonnet Carré Spillway opening, St. Charles Parish, Louisiana. Report to USACE, Contract No. W912P8-07-D-0008, Delivery Order No. 0021, New Orleans.
- GEC/Steimle and Associates. 1998. Biological and Recreational Monitoring of the Impacts of the 1997 Opening of the Bonnet Carré Spillway Southeastern Louisiana. Final Report to the USACE Contract No. DACW29-96-D0009.
- Geho, E.M., D. Campbell and P.A. Keddy. 2007. Quantifying ecological filters: the relative impact of herbivory, neighbours, and sediment on an oligohaline marsh. Oikos. In press.
- Georgiou, I. 2007. Hydrodynamic and Salinity Modeling in the Pontchartrain Basin: Assessment of Freshwater Diversions at Violet with MRGO Modifications. Final Report. August, 2007.
- Geyer, W.R., P.S. Hill and G.C. Kineke. The transport, transformation and dispersal of sediment by buoyant coastal flows. Continental Shelf Research. 24: 927-949.
- Gilbert, G.K. 1914. The transportation of debris in flowing water. US Geol. Survey, Prof. Paper 86.
- Gleason, M.L., D.A. Elmer, N.C. Pien and J.S. Fisher. 1979. Effect of stem density upon sediment retention by salt marsh cord grass, *Spartina alterniflora* Loisel. Estuaries. 2: 271-273.
- Godfrey, R.K. and J.W. Wooten. 1981. Aquatic and Wetland Plants of the Southeastern United States. University of Georgia Press. Athens, GA, USA.
- Good, R.E., N.F. Good, and B.F. Frasco. 1982. A review of primary production and decomposition dynamics of the belowground marsh component. P. 139-158 In: V.S. Kennedy (ed.). Estuarine Comparisons. Academic Press. New York.
- Goolsby, D.A. and W.A. Battaglin. 2001. Long-term changes in concentrations and flux of nitrogen in the Mississippi River Basin, USA. Hydrological Processes, 15: 1209-26.
- Gosselink, J.G. 2001. Comments on "Wetland Loss in the Northern Gulf of Mexico: Multiple Working Hypotheses." By R. E. Turner. 1997. Estuaries. 24(4): 636-651.
- Gough, L., J.B. Grace and K.L. Taylor. 1994. The relationship between species richness and community biomass: the importance of environmental variables. Oikos. 70: 271-279.
- Gough, L. and J.B. Grace. 1998. Effects of flooding, salinity, and herbivory on coastal plant communities, Louisiana, USA. Oecologia. 117: 527-535.
- Gowanloch, J.N. 1950. Fisheries effects on Bonnet Carre Spillway opening. Louisiana Conservation Review. 2: 12-13,24-25.
- Grace, J.B. and M.A. Ford 1996. The potential impact of herbivores on the susceptibility of the marsh plant *Sagittaria lancifolia* to saltwater intrusion in coastal wetlands. Estuaries. 19: 13-20.

- Grace, J.B. and B.H. Pugeseck. 1997. A structural equation model of plant species richness and its application to a coastal wetland. *American Naturalist*. 149: 436-460.
- Grandy, G. 2009. Delta Wide Crevasses. Project Completion Report MR-09. Louisiana Department of Natural Resources, Baton Rouge, LA. 5 p.
- Gross, M.F., M.A. Hardisky, P.L. Wolf, and V. Klemas. 1991. Relationship between aboveground and belowground biomass of *Spartina alterniflora* (Smooth Cordgrass). *Estuaries*. 14: 180-191.
- Guillory, V. 2000. Relationship of Blue Crab Abundance to River Discharge and Salinity. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies*. 54: 213-220.
- Guillory, V. 1999. Relationship of Blue Crab Commercial Landings and Recruitment to River Discharge and Salinity. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies*. 53: 1-7.
- Gunter, G., B.S. Ballard, and A. Venkataramiah. 1974. A review of salinity problems of organisms in United States coastal areas subject to the effects of engineering works. *Gulf Res. Rep.* 4:380-475.
- Gunter, G. 1961. Some relations of estuarine organisms to salinity. *Limnological Oceanography* 6: 182-190.
- Gunter, G. 1953. The relationship of the Bonnet Carre Spilway to oyster beds in Mississippi Sound and the Louisiana Marsh with a report on the 1950 opening and a study of beds in the vicinity of the Bohemia Spilway and Baptiste Collette Gap. *Mim. Rept.*, pp1-60. New Orleans District, U. S. Army Corps of Engineers.
- Gunter, G., J.Y. Christmas, and R. Killebrew. 1964. Some relations of salinity to population distributions of motile estuarine organisms, with special reference to penaeid shrimp. *Ecology*. 45(1): 181-185.
- Gunter, G. 1952. Historical changes in the Mississippi River and the adjacent marine environment. *Publications of the Institute of Marine Science*. 2(2): 119-138.
- Habib, E., W. Nuttle, V. Rivera-Monroy, S. Gautam, J. Wang, and E. Meselhe, E. 2007. Assessing Effects of Data Limitations on Salinity Forecasting in Barataria Basin, Louisiana, with a Bayesian Analysis. *Journal of Coastal Research*. Spring 2007. pp. 749-763.
- Habib, E., B.F. Larson, W.K. Nuttle, V.H. Rivera-Monroy, B.R. Nelson, E.A. Meselhe, and R.R. Twilley. 2008. Effect of rainfall spatial variability and sampling on salinity prediction in an estuarine system. *Journal of Hydrology*. 350: 56-67.
- Happ, G., J. Gosselink and J. Day. 1977. The Seasonal Distribution of Organic Carbon in a Louisiana Estuary. *Estuarine and Coastal Marine Science* 5:695-705.
- Harter, S.K. and W.J. Mitsch. 2003. Patterns of Short-Term Sedimentation in a Freshwater Created Marsh. *Journal of Environmental Quality* 32, No. 1: 325-34.
- Hartman, R. 2004. Many fisheries improve with diversions. *Louisiana Sportsman*. Louisiana Sportsman September 24, 2004.
- Haskin H.H. and S.E. Ford 1982. *Haplosporidium nelsoni* (MSX) on Delaware Bay seed oyster beds: a host-parasite relationship along a salinity gradient. *Journal of Invertebrate Pathology*. 40(3): 388-405.
- Hatton, R.S., W.H. Patrick and R.D. DeLaun. 1982. Sedimentation, nutrient accumulation, and early diagenesis in Louisiana Barataria Basin Coastal Marshes. In: Kennedy ed. *Estuarine Comparisons*. Academic Press, New York.
- Hatton R.S., DeLaune R.D., Patrick and W.H. Jr. 1983. Sedimentation, accretion and subsidence in marshes of Barataria Basin, Louisiana. *Limnology and Oceanography*. 28(3): 494-502.
- Heath, R.E., Jeremy A. Sharp. 2010. 1-dimensional modeling of sedimentation impacts for the Mississippi River at the West Bay Diversion. 2nd Joint Federal Interagency Conference Las Vegas, NV, June27-July 1, 2010
- Hensel, P.F., J.W. Day Jr., D. Pont and J.N. Day. 1998. Short-term sedimentation dynamics in the Rhone River delta, France: the importance of riverine pulsing. *Estuaries*. 21: 52-65.
- Hensel, P.R., J.W. Day, Jr. and D. Pont. 1999. Wetland vertical accretion and soil elevation change in the Rhone River delta, France: the importance of riverine flooding. *Journal of Coastal Research*. 15(3): 668-681.
- Hesse, I., T. Doyle and J. Day. 1998. Long-term growth enhancement of baldcypress (*Taxodium distichum*) from nunicipal wastewater application. *Environmental Management*. 22: 119-127.
- Hester, M.W., I.A. Mendelssohn, and K.I. Mckee. 2001. Species and population variation to salinity stress in *Panicum hemitomom*, *Spartina patens*, and *Spartina alterniflora*: morphological and physiological constraints. *Environmental and Experimental Botany*. 46: 277-297.

- Hester, M.W., I.A. Mendelssohn and K.I. Mckee. 1998. Intraspecific variation in salt tolerance and morphology in *Panicum hemitomon* and *Spartina alterniflora* (Poaceae). *International Journal of Plant Science*. 159: 127-138.
- Hey, D.L., G.W. Randall and N. Wang. 2001. Reducing nitrogen loading to the Gulf of Mexico from the Mississippi River basin: Strategies to counter a persistent ecological problem. *BioScience*. 51: 373-388.
- Ho, C.L. and B.B. Barrett. 1975. Distribution of nutrients in Louisiana's coastal waters influenced by the Mississippi River. Louisiana Department of Wildlife and Fisheries, Comm. Div. Oysters, Water, Bottom, and Seafoods, Technical Bulletin. 17. 39 pp.
- Holle, C.G. Sedimentation at the mouth of the Mississippi River. *Proceedings of the International Conference*. 2010
- Holm Jr., G.O. 2006. Nutrient Constraints on Plant Community Production and Organic Matter Accumulation of Subtropical Floating Marshes. Ph.D. Dissertation, Louisiana State University. 123 pp.
- Hopkinson, C.S., J.G. Gosselink, and R.T. Parrondo. 1978. Aboveground production of seven marsh plant species in coastal Louisiana. *Ecology*. 59: 760-769.
- Howard, J.A. and W.T. Penjound. 1942. Vegetational studies in areas of sedimentation in the Bonnet Carre Floodway. *Journal of the Torrey Botanical Society*. 69: 281-282.
- Howard, R.J. and I.A. Mendelssohn. 1999. Salinity as a constraint on growth of oligohaline marsh macrophytes. Species variation in stress tolerance. *American Journal of Botany*. 86: 785-794.
- Howes, B.L., R.W. Howarth, J.M. Teal, and I. Valiela. 1981. Oxidation-reduction potentials in a salt marsh: Spatial patterns and interactions with primary production. *Limnology and Oceanography*. 26: 350-360.
- Howes, N.D., D.M. FitzGerald, Z.J. Hughes, I.Y. Georgiou, M.A. Kulp, and M.D. Miner. 2010. Hurricane-induced failure of low salinity wetlands. *PNAS*. 10(32): 14014-14019.
- Hull, R.J., D.M. Sullivan, and R.W. Lytle. 1976. Photosynthate distribution in natural stands of saltwater cordgrass. *Agronomy Journal*. 68: 969-972.
- Hupp, C.R., A.R. Pierce and G.B. Noe. 2009. Floodplain geomorphic processes and environmental impacts of human alteration along coastal plain rivers, USA. *Wetlands*. 29(2): 413-429.
- Hyfield, E. 2004. Changes in stoichiometric Si, N, and P ratios of Mississippi River water diverted through coastal wetlands to the Gulf of Mexico. *Estuarine, Coastal and Shelf Science* 60: 1-10.
- Hyfield, E.C.G. 2004. Freshwater and Nutrient Inputs to a Mississippi River Deltaic Estuary with River Re-Introduction. Master's Thesis, Louisiana State University.
- Hyfield, E.C.G., J.W. Day, J.E. Cable and D. Justic. 2008. The Impacts of Re-introducing Mississippi River Water on the Hydrologic Budget and Nutrient Inputs of a Deltaic Estuary. *Ecological Engineering*. 32(4): 347-359.
- Hyfield, E.C.G., J. Day, I. Mendelssohn and G.P. Kemp. 2006. A feasibility analysis of discharge of non-contact, once-through industrial cooling water to forested wetlands for coastal restoration in Louisiana. *Ecological Engineering*. 29:1:1-7.
- Hymel, M. 2003. Monitoring Plan for Bayou Sauvage National Wildlife Refuge Hydrologic Restoration Phase 1 (PO-16). Louisiana Department of Natural Resources. Coastal Restoration Division.
- Hymel, M. 2003. Monitoring Plan for Bayou Sauvage National Wildlife Refuge Hydrologic Restoration Phase 2 (PO-18). Louisiana Department of Natural Resources. Coastal Restoration Division.
- Hymel, M.K. and T. Bernard. 2004. 2004 Operations, Maintenance and Monitoring Report for Fritchie Marsh Restoration (PO-06). Louisiana Department of Natural Resources. Coastal Restoration Division, New Orleans, Louisiana. 20 pp.
- Hymel, M.K., B. Richard, and P. Hopkins. 2007. 2007 Operations, Maintenance and Monitoring Report for Fritchie Marsh Restoration (PO-06). Louisiana Department of Natural Resources. Coastal Restoration Division and Coastal Engineering Division, New Orleans, Louisiana.
- Iwai, R.R. 2002. Denitrification Potential of Sediment from a Future Mississippi River Diversion Site in Louisiana. Louisiana State University.
- Johnson, C. B. 2004. Capacity of Freshwater Marsh to Process Nutrients in Diverted Mississippi River Water. Louisiana State University.
- Jones, W.D. and R.E. 1958. Clay Mineral Composition of Recent Sediments from the Mississippi River Delta. *Journal of Sedimentary Research*. 28(2): 186-199.
- Jun Xu, Y. and A. Viosca. 2005. Surface Water Assessment of Three Louisiana Watersheds. 3(2): 8 pp.

- Junk, W.J., P.B. Bayley, and R.E. Sparks. 1989. The flood pulse concept in river-floodplain systems. *Canadian Journal of Fisheries and Aquatic Sciences Special Publication*. 106: 111-127.
- Junot, J.A., M.A. Poirrier, and T.M. Soniat. 1983. Effects of Saltwater Intrusion from the Inner Harbor Navigation Canal on the Benthos of Lake Pontchartrain, Louisiana. *Gulf Research Reports*. 7(3): 247-254.
- Justic', D., N.N. Rabalais, R.E. Turner and W.J. Wiseman, Jr. 1993. Seasonal coupling between riverborne nutrients, net productivity and hypoxia. *Marine Pollution Bulletin*. 26(4): 184-189.
- Justic', D., N.N. Rabalais, and R.E. Turner. 1995. Stoichiometric nutrient balance and origin of coastal eutrophication. *Marine Pollution Bulletin*. 30(1): 41-46.
- Justic', D., N.N. Rabalais and R.E. Turner. 1994. Riverborne nutrients, hypoxia and coastal ecosystem evolution: Biological responses to long-term changes in nutrient loads carried by the PO and Mississippi Rivers. p. 161-167 In: K.R. Dyer and R.J. Orth (eds.). *Changes in Fluxes in Estuaries: Implications from Science to Management*. Proceedings of ECSA22/ERF Symposium, International Symposium Series, Olsen & Olsen, Fredensborg, Denmark.
- Kana, T.M., M.B. Sullivan, J.C. Cornwell, and K. Groszkowski. 1998. Denitrification in estuarine sediments determined by membrane inlet mass spectrometry. *Limnology and Oceanography*. 42: 334-339.
- Kandalepas, D. 2004. Classification of wetland vegetation types in the northwestern portion of Lake Pontchartrain Basin, LA. USA. Master's thesis, Southeastern Louisiana University, Hammond, LA, USA.
- Wu, K. and Y. Jun Xu. 2007. Long-term freshwater inflow and sediment discharge into Lake Pontchartrain in Louisiana, USA. *Hydrological Sciences Journal*. 52(1): 166-170.
- Kaswadji, R.F., J.G. Gosselink, and R.E. Turner. 1990. Estimation of primary production using five different methods in a *Spartina alterniflora* salt marsh. *Wetlands Ecology and Management*. 1: 57-64.
- Keddy, P.A., D. Campbell, T. McFalls, G.P. Shaffer, R. Moreau, C. Dagnet and R. Heleniak. 2007. *The Wetlands of Lakes Pontchartrain and Maurepas: Past, Present and Future*. NRC Research Press.
- Keddy, P.A. 2000. *Wetland Ecology: Principles and Conservation*. Cambridge University Press, Cambridge, UK.
- Keddy, P.A. 1992. Assembly and response rules: two goals for predictive community ecology. *Journal of Vegetation Science*. 3: 157-164.
- Kemp, G.P., W.H. Conner and J.W. Day Jr. 1985. Nutrient dynamics in a Louisiana swamp receiving agricultural runoff. Pages 286-293 in K.C. Ewel and H.T. Odum eds. *Cypress Swamps*, University Presses of Florida, Gainesville, Florida.
- Kemp, G.P., W.H. Conner and J.W. Day Jr. 1985. Effects of flooding on decomposition and nutrient cycling in a Louisiana swamp forest. *Wetlands*. 5: 35-51.
- Kesel, R.H. 2003. Human Modifications to the Sediment Regime of the Lower Mississippi River Flood Plain. *Geomorphology* 56(3-4): 325-34.
- Kimmerer, W.J. 2002. Physical, biological and management responses to variable freshwater flow into the San Francisco Estuary. *Estuaries*. 25: 1275-1290.
- Kimmer, W.J. 2002. Effects of freshwater flow on abundance of estuarine organisms: physical effects or trophic linkages? *Marine Ecology Progress Series*. 243: 39-55.
- Kirby, C.J. and J.G. Gosselink. 1976. Primary production in a Louisiana Gulf Coast *Spartina alterniflora* marsh. *Ecology*. 57(5): 1052-1059.
- Kitchens, W.F., Jr., J.M. Dean, L.H. Stevenson and J.H. Cooper. 1975. The Santee Swamp as a nutrient sink. In: *Mineral cycling in southeastern ecosystems*. Energy Research and Development Administration, ERDA Symposium Series 36. Washington, DC, pp. 349-366.
- Knaus, R.M., D.L. Van Gent. 1989. Accretion and canal impacts in a rapidly subsiding wetland. III. A new soil horizon marker for measuring recent accretion. *Estuaries* 12(4): 269-283
- Koch, M.S. and I.A. Mendelssohn. 1989. Sulfide as a soil phototoxin - differential responses in 2 marsh species. *Journal of Ecology*. 77(2): 565-578.
- Koch, M.S., I.A. Mendelssohn and K.L. McKee. 1990. Mechanism for the hydrogen sulfide-induced growth limitation in wet-land macrophytes. *Limnology and Oceanography*. 35: 399-408.
- Kreiling, R.M. 2010. Summer nitrate uptake and denitrification in an upper Mississippi River backwater lake: the role of rooted aquatic vegetation. *Biogeochemistry*. DOI 10.1007/s10533-010-9503-9. 16 pp.

- Kulp, M.A., P. Howell, S. Adiau, S. Penland, J. Kindinger, and S.J. Williams. 2002. Latest Quaternary stratigraphic framework of the Mississippi delta region. *Transactions, Gulf Coast Association of Geological Societies*. 52: 572-582.
- La Peyre, M.K., B. Gossman and J.F. La Peyre. 2009. Defining optimal freshwater flow for oyster production: effects of freshet rate and magnitude of change and duration on eastern oysters and *Perkinsus marinus* infection. *Estuaries and Coasts*. 32:522-534.
- La Peyre, M.K., A.D.Nickens, A.K. Volety, G.S. Tolley and J.F. La Petre. 2003. Environmental Significance of Freshets in Reducing *Perkinsus marinus* Infection in Eastern Oysters *Crassostrea virginica*: Potential Management Applications. *Marine Ecology*. 248: 165-176.
- La Peyre, M.K.G., J.B. Grace, E. Hahn and I.A. Mendelssohn. 2001. The importance of competition in regulating plant species abundance along a salinity gradient. *Ecology*. 82: 62-69.
- La Peyre, M. and B. Piazza. Method to estimate consumer resource availability provided by riverine pulsing: an approach and example for southeastern US estuary. *Wetlands*. In Review.
- Lamers L.P.M., H.B.M Tomassen and J.G.M. Roelofs 1998. Sulfate induced eutrophication and phytotoxicity in freshwater wetlands. *Environmental Science and Technology*. 32: 199-205.
- Lane, R. J. 2003. The Effect on Water Quality of Riverine Input into Coastal Wetlands. Ph.D. dissertation. Louisiana State University. 153 pp.
- Lane, R.R., J.W Day, B. Marx, E. Reyes and P. Kemp. 2002. Seasonal and Spatial Water Quality Changes in the Outflow Plume of the Atchafalaya River, Louisiana, USA. *Estuaries*. 25(1): 30-42.
- Lane, R.R., J.W. Day Jr., B.D. Marx, E. Reyes, E. Hyfield and J.N. Day. 2007. The effects of riverine discharge on temperature, salinity, suspended sediment and chlorophyll a in a Mississippi delta estuary measured using a flow-through system. *Estuarine, Coastal and Shelf Science* 74(1-2): 145-154.
- Lane, R.R., J.W. Day, G.P. Kemp and D.K. Demcheck. 2001. The 1994 Experimental Opening of the Bonnet Carre Spillway to Divert Mississippi River Water into Lake Pontchartrain, Louisiana. *Ecological Engineering*. 17(4): 411-22.
- Lane, R.R., J.W. Day, D. Justic, E. Reyes, B. Marx, J.N. Day and E. Hyfield. 2004. Changes in Stoichiometric Si, N and P Ratios of Mississippi River Water Diverted Through Coastal Wetlands to the Gulf of Mexico. *Estuarine Coastal and Shelf Science*. 60(1): 1-10.
- Lane, R.R., J.W. Day and B. Thibodeaux. 1999. Water Quality Analysis of a Freshwater Diversion at Caernarvon, Louisiana. *Estuaries*. 22(2A): 327-36.
- Lane, R.R., H.S. Mashriqui, G.P. Kemp, J.W. Day, J.N. Day and A. Hamilton. 2003. Potential Nitrate Removal From a River Diversion Into a Mississippi Delta Forested Wetland. *Ecological Engineering*. 20(3): 237-49.
- Langley, J.A., K.L. McKee, D.R. Cahoon, J.A. Cherry, and J.P. Megonigal. 2009. Elevated CO₂ stimulates marsh elevation gain, counterbalancing sea-level rise. *PNAS*. 106(15): 6182-6186.
- LDNR. 1993. Accretion and Hydrologic Analyses of Three Existing Crevasse Splay Marsh Creation Projects at the Mississippi Delta. Louisiana Department of Natural Resources. Coastal Restoration Division.
- LDNR. 1991. Caernarvon Freshwater Diversion Dye Study Aug 6-9, 1991.
- LDNR. 2006. Caernarvon Freshwater Diversion Project Annual Report 2005 Draft.
- LDNR. 1997 Bonnet Carre Spillway Opening Hydrographic Data Report. 9 pp.
- LDNR. 2003. Caernarvon Freshwater Diversion Project Annual Report 2003. Louisiana Department of Natural Resources. 41 pp.
- LDNR. 2005. Davis Pond Freshwater Diversion Project, Annual Report 2003-2004. Louisiana Department of Natural Resources. 51 pp.
- LDNR. 1995. Progress Report No. 1. Small Sediment Diversions (MR-01). 4 pp.
- LDNR. 1996. Progress Report No. 2. Small Sediment Diversions (MR-01). 12 pp.
- LDWF. 2010. State opens additional freshwater diversion canal at Bayou Lamoque in Plaquemines Parish. Louisiana Department of Wildlife and Fisheries.
- Lear, E. and S. Triche. 2004. 2004 Operations, Maintenance, and Monitoring Report for Lake Chapeau Sediment Input and Hydrologic Restoration (TE-26). Point Au Fer Island. Louisiana Department of Natural Resources. Coastal Restoration Division, Thibodaux, Louisiana. 38 pp.
- Lee Wilson and Associates, Inc., G. Shaffer, M. Hester, P. Kemp, H. Mashriqui, J.W. Day and R.R. Lane. 2001. Diversion into the Maurepas Swamps: A Complex Project under the Coastal Wetland Planning, Protection, and Restoration Act.

- Lenaker, P.L. 2009. Applying the isotope pairing technique to evaluate how water temperature and habitat type influence denitrification estimates in Breton Sound, Louisiana. Master's Thesis, Louisiana State University.
- Letter, J.V. Jr., F.C. Pinkard, and N.K. Raphael. 2008. River Diversions and Shoaling. US Army Corps of Engineers. New Orleans, LA. pp. 21.
- Leupi, C. 2005. Numerical modeling of cohesive sediment transport and bed morphology in estuaries. Doctoral Thesis, Ecole Polytechnique Federale De Lusanne, Switzerland
- Li, C., C. Chen, D. Guadagnoli, and I. Georgiou. 2008. Geometry induced residual eddies in estuaries with curved channels - observations and modeling studies. *JGR-Oceans*, 113,C01005,doi:10.1029/2006J004031.
- Light, T. 2003. Success and failure in a lotic crayfish invasion: the roles of hydrologic variability and habitat alteration. *Freshwater Biology*. 48(10): 1886-1897.
- Lindau, C.W., R.D. DeLaune, and G.L. Jones. 1988. Fate of added nitrate and ammonium-nitrogen entering a Louisiana Gulf Coast swamp. *Journal of Water Pollution*. 60: 386-390.
- Lindau, C.W., R.D. DeLaune, A.E. Scaroni and J.A. Nyman. 2008. Denitrification in cypress swamp within the Atchafalaya River Basin, Louisiana. *Chemosphere*. 70: 886-894.
- Livingston R.J., F.G. Lewis, G.C. Woodsum, X.F. Niu et al. 2000. Modeling oyster population response to variation in freshwater input. *Estuarine Coastal and Shelf Science*. 50: 655-672.
- Llewellyn, D.W., G.P. Shaffer, N.J. Craig, L. Creasman, D. Pashley, M. Swan and C. Brown. 1996. A decision-support system for prioritizing restoration sites on the Mississippi River alluvial plain. *Conservation Biology*. 10: 1446-1455.
- Loeb R., E. VanDaalen, L.P.M. Lamers and J.G.M. Roelofs. 2007. How soil characteristics and water quality influence the biogeochemical response to flooding in riverine wetlands. *Biogeochemistry*. 85: 289-302.
- Lohrenz, S.E., G.L. Fahnenstille, D.G. Redalje, G.A. Lang, M.J. Dagg, T. E. Whittedge and Q. Dortch. 1999. Nutrients, irradiance and mixing as factors regulating primary production in coastal waters impacted by the Mississippi River plume, *Continental Shelf Research*. 19: 1113-1141.
- Lohrenz, S.E., M.J. Dagg, and T.E. Whittedge. 1990. Enhanced primary production at the plume/oceanic interface of the Mississippi River. *Continental Shelf Research*. 10:639-664.
- Loneragan N.R. E.Bunn. 1999. River flows and estuarine ecosystems: implications for coastal fisheries from a review and a case study of the Logan River, southeast Queensland. *Australian Journal of Ecology*. 24: 431-440.
- Longley, W.L. (ed.). 1994. Freshwater inflows to Texas bays and estuaries: ecological relationships and methods for determination of needs. Texas Water Development Board and Texas Parks and Wildlife Department, Austin, TX. 386 pp.
- Loosanoff, V.L. 1953. Behavior of oysters in water of low salinities. *Proceedings of the National Shellfish Association*. 43: 135-151.
- Lopez, J.A. 2006. The Multiple Lines of Defense Strategy to Sustain Coastal Louisiana. Lake Pontchartrain Basin Foundation, Louisiana. 21 pp.
- Lopez, J.A. 2003. Chronology and analysis of environmental impacts within the Ponchartrain basin of the Mississippi Delta Plain: 1718-2002. Ph.D. Dissertation, Engineering and Applied Sciences Program, University of New Orleans, New Orleans, LA. USA.
- Lowe, E.F. 1986. The relationship between hydrology and vegetational pattern within the floodplain marsh of a subtropical Florida lake. *Fla Sci*. 49: 213-233.
- Madden, C, J. Day and J. Randall. 1988. Freshwater and marine coupling in estuaries of the Mississippi deltaic plain. *Limnology and Oceanography*. 33(4, 2): 982-1004.
- Mancil, E. 1980. Pullboat logging. *Journal of Forestry History*. 24: 135-141.
- Manheim, F.T., and L.Hayes. 2002. Sediment database and geochemical assessment of Lake Pontchartrain Basin, chap. J of Manheim, F.T., and Hayes, Laura (eds.), Lake Pontchartrain Basin: Bottom sediments and related environmental resources: U.S. Geological Survey Professional Paper 1634.
- Marino, J.H., J.A. Nyman and T. Michot. 2005. Effects of season and marsh management on submersed aquatic vegetation in coastal Louisiana brackish marsh ponds. *Ecological Restoration*. 23:235-243.
- Marks, B.W. 2010. The effects of salinity on nitrogen cycling in wetland soils and sediments of the Breton Sound Estuary, LA. Master's Thesis, Louisiana State University. 107 pp.
- Martin, J., E. Reyes, P. Kemp, H. Mashriqui and J. Day. 2002. Landscape modeling of the Mississippi delta. *BioScience*. 52: 357-365.

- Martin, S.B. and G.P. Shaffer. 2005. *Sagittaria* biomass partitioning relative to salinity, hydrological regime, and substrate type: implications for plant distribution patterns in coastal Louisiana, USA. *Journal of Coastal Research* 21: 164-171.
- Martinez, M.L., G. Vazquez, D.A. White, G. Thivet, and M. Brenges. 2002. Germination responses of five tropical beach and dune species exposed to artificial sand burial and inundation by fresh- and sea-water. *Canadian Journal Botany*. 80: 416-424.
- Mashriqui, H., E. Reyes, S. Rick, G. Snedden, E. Swenson, and P. Templet. 2003. PULSES: The importance of pulsed physical events for Louisiana coastal floodplains and watershed management. p. 693-699. First Interagency Conference on Research in the Watersheds. October 27-30, 2003. U.S. Department of Agriculture. Agricultural Research Service.
- Mashriqui, H.S. and G.P. Kemp. 2003. Hydrodynamic Models of Subprovince 2, Chapter 4. In: R.R. Twilley ed., Coastal Louisiana Ecosystem Assessment and Restoration (CLEAR) Model of Louisiana Coastal Area (LCA) Comprehensive Ecosystem Restoration Plan. Volume I: Tasks 1-8. Final Report to Department of Natural Resources, Coastal Restoration Division, Baton Rouge, LA. Contract No. 2511-02-24. 319 pp.
- May, E.B. 1972. The effect of floodwater on oysters in Mobile Bay. *Proceedings of the National Shellfisheries Association*. 62:67-71.
- Mayer, L.M. et al. 2008. Input of nutritionally rich organic matter from the Mississippi River to the Louisiana coastal zone. *Estuaries and Coasts*. 31(6): 1052-1062
- McAnally, W.H. and G.H. Nail. 1995. Freshwater diversion to reduce estuarine salinities. International Water Resources Engineering Conference - Proceedings, 1496-500 San Antonio, TX, USA: ASCE, New York, NY, USA.
- McCallum, Brian E. 1995. Aerial extent of freshwater from an experimental release of Mississippi River Water into Lake Pontchartrain, Louisiana, May 1994. Coastal Zone: Proceedings of the Symposium on Coastal and Ocean Management, 363-64 Tampa, FL, USA: ASCE, New York, NY, USA.
- McCorqudale, A., H. Mashriqui, D.J. Reed et al. 2004. Effects of river diversion projects using a pulsed scenario of proposed alternatives based on both simulation and box modeling approaches. Chapter 18. In: R.R Twilley (ed.) Coastal Louisiana Ecosystem Assessment and Restoration (CLEAR) Model of Louisiana Coastal Areas (LCA) Comprehensive Ecosystem Restoration Plan. Vol. II: Tasks 9-15. Final Report to DNR, Baton Rouge, LA.
- McFalls, T. 2004. Effects of disturbance and fertility upon the vegetation of a Louisiana coastal marsh. Master's Thesis, Southeastern Louisiana University.
- McGraw, M.J. 2005. The Effect of Environmental Forcing on the Suspended Sediment Within the Naomi Wetlands as Reflected in Turbidity Data. Doctoral Thesis, Louisiana State University. Baton Rouge, Louisiana. USA.
- McKee, K., I.A. Mendelssohn and M.D. Materne. 2004. Acute salt marsh dieback in the Mississippi River deltaic plain: A drought induced phenomenon? *Global Ecology and Biogeography*. 13: 65-73.
- McKee, K.L., I.A. Mendelssohn. And M.W. Hester. 1988. Reexamination of pore water sulfide concentrations and redox potentials near the aerial roots of *Rhizophora mangel* and *Avicennia germinans*. *American Journal of Botany*. 75(9): 1352-1359.
- McKee, K.L. and I.A. Mendelssohn. 1989. Response of a freshwater marsh plant community to increased salinity and increased water level. *Aquatic Botany*. 34: 301-316.
- McNally, D. 1992. Effects of a marsh management impoundment on hydrology, accretion and SAV production in the Mississippi Deltaic Plain. MS thesis, Louisiana State University, Baton Rouge, LA. USA.
- Meade, R.H., (ed.). 1995. Contaminants in the Mississippi River, 1987-1992. U.S. Geological Survey Circular, 1133: 1-140.
- Meffert, D.J. and B. Good, 1996. Case study of the ecosystem management development in the Brenton Sound Estuary, Louisiana. Proc Hillsborough Community College Annual Conf on Ecosystems Restoration and Creation. 14 pp
- Megonigal, J.P., W.H. Conner, S. Kroeger and R.R. Shariitz. 1997. Aboveground production in southeastern floodplain forests: a test of the subsidy-stress hypothesis. *Ecology*. 78: 370-384.
- Melancon, E., C. Addison and R. Duke. 2005. Understanding how oyster metapopulations respond to salinity in the Barataria Estuary. Poster. National Shellfisheries Association Meeting.
- Mendelssohn, I.A. and J.T. Morris. 2000. Eco-physiological controls on the productivity of *Spartina alterniflora* Loisel. p. 59-80 In: M.P. Weinstein and D.A. Kreeger (eds.). Concepts and controversies in tidal marsh ecology. Kuwer Academic Publishers, Boston, Mass.
- Mendelssohn I.A., B.K. Sorrell, H. Brix, H.H. Schierup, B. Lorenzen and E. Maltby. 1999. Controls on soil cellulose decomposition along a salinity gradient in a *Phragmites australis* wetland in Denmark. *Aquatic Botany*. 64:38-398.

- Mendelssohn, I.A. and D. Batzer. 2006. Abiotic constraints for wetland plants and animals, pp.82-114. In: Ecology of Freshwater and Estuarine Wetlands. D.P. Batzer and R.R. Sharitz, eds. University of California Press, Berkeley, CA.
- Mendelssohn, I.A and K.L. McKee. 1988. *Spartina alterniflora* die-back in Louisiana: time course investigation of soil waterlogging effects. *Journal of Ecology*. 76: 509-521.
- Mendelssohn, I.A. and N.L. Kuhn. 1999. The effects of sediment addition on salt marsh vegetation and soil physico-chemistry. In: Recent Research in Coastal Louisiana Natural System Function and Human Influence. eds. Rozas, L.P., J.A. Nyman, C.E. Proffitt, and N.N. Rabalais, D.J. Reed, and R.E. Turner. Louisiana Sea Grant College Program, Baton Rouge.
- Mendelssohn, I.A. and N.L. Kuhn. 2003. Sediment subsidy: effects on soil-plant responses in a rapidly submerging coastal salt marsh. *Ecological Engineering*. 21: 115-128.
- Merino, J.H., D. Huval and A.J. Nyman. 2008. Implication of nutrient and salinity interaction on the productivity of *Spartina patens*. *Wetlands Ecology and Management*. DOI 10.1007/s11273-008-9124-4
- Miao, S., R.D. Delaune, and A. Jugsujinda. 2006. Sediment Nutrient Flux in a Coastal Lake Impacted by Diverted Mississippi River Water. *Chemistry and Ecology* 22(6): 437-49.
- Michener, W.K., E.R. Blood, K.L. Bildstein, M.M. Brinson and L.R. Gardner. 1997. Climate change, hurricanes and tropical storms, and rising sea level in coastal wetlands. *Ecological Applications*. 7: 770-801.
- Middelburg, J.J. and J. Nieuwenhuizee. 2000. Uptake of dissolved inorganic nitrogen in turbid, tidal estuaries. *Marine Ecology Progress Series*. 192: 79-88.
- Middleton, B.A. ed. 2002. *Flood Pulsing in Wetlands: Restoring the Natural Hydrological Balance*. John Wiley, New York, N.Y., USA.
- Mitsch, W.J., J.R. Taylor and K.B. Benson. 1991. Estimating primary productivity of forested wetland communities in different hydrologic landscapes. *Landscape Ecology*. 5: 75-92.
- Mitsch, W.J., J.W. Day, L. Zhang and R.R. Lane. 2005. Nitrate-nitrogen retention in wetlands in the Mississippi River Basin. *Ecological Engineering*. 24:4. p 267-278.
- Mitsch, W.J., J.W. Day Jr., W. Gilliam, P.M. Groffman, D.L. Hey, G.W. Randall and N. Wang. 2001. Reducing Nitrogen Loading to the Gulf of Mexico from the Mississippi River Basin: Strategies to Counter a Persistent Ecological Problem. *BioScience*. 51(5):373-388.
- Mitsch, W.J. 1999. Reducing nutrient loads, especially nitrate-nitrogen, to surface water, ground water, and the Gulf of Mexico: Topic 5 Report for the Integrated Assessment on Hypoxia in the Gulf of Mexico. NOAA Coastal Ocean Program Decision Analysis Series No. 19. NOAA Coastal Ocean Program, Silver Spring, MD. 111 pp.
- Mize, S.V. and D.K. Demcheck. 2009. Water quality and phytoplankton communities in Lake Pontchartrain during and after the Bonnet Carre' Spillway opening, April to October 2008, in Louisiana, USA. *Geo-Marine letters*. 29: 431-440.
- Moerschbaecher, M.K. 2008. The Impact of the Caernarvon Diversion on Above and Below Ground Biomass in the Breton Sound Estuary after Hurricane Katrina. Master's Thesis, Louisiana State University. Baton Rouge, Louisiana. USA.
- Montagna, P.A., M. Alber, P. Doering, M.S. Connor. 2002. Freshwater Inflow: Science, Policy, Management. *Estuaries*. 25(6B): 1243-1245.
- Montagna, P.A., R.D. Kalke, and C. Ritter. 2002. Effect of restored freshwater inflow on macrofauna and meiofauna in upper Rincon Bayou, Texas. *Estuaries*. 25:1436-1447.
- Montagna, P.A. and R.D. Kalke. 1992. The effect of freshwater inflow on meiofaunal and macrofaunal populations in the Guadalupe and Nueces estuaries, Texas. *Estuaries*. 15:307-326.
- Montague, C.L. and J.A. Ley. 1993. A possible effect of salinity fluctuation on abundance of benthic vegetation and associated fauna in northeastern Florida Bay. *Estuaries*. 16: 703- 717.
- Morris, J.T., B. Kjerfve, and J.M. Dean. 1990. Dependence of estuarine productivity on anomalies in mean sea level. *Limnology and Oceanography*. 35: 926-930.
- Morris, J.T. 1984. Effects of oxygen and salinity on ammonium uptake by *Spartina alterniflora* Loisel and *Spartina patens* (Aiton.) Muhl. *Journal of Experimental Marine Biology and Ecology*. 78: 87-98.
- Morton, R.A., G. Tiling, and N. F. Ferina. 2003. Causes of hot-spot wetland loss in the Mississippi delta plain. *Environmental Geosciences*. 10(2): 71-80.
- Mossa, J. 1989. Hysteresis and nonlinearity of discharge-sediment relationships in the Atchafalaya and lower Mississippi River. *Proceedings of the Baltimore Symposium*. IAHS 184:105-112

- Mossa, J. 1996. Sediment dynamics in the lowermost Mississippi River. *Engineering Geology* 45:457-479.
- Mossa, J. 1988. Discharge-sediment dynamics of the lower Mississippi River. *Transactions Gulf Coast Association of Geo. Societies*. 39:303-314
- Moustafa, M.Z., T.D. Fountaine, M. Guardo and R.T. James. 1998. The response of a freshwater wetland to long-term 'low level' nutrient loads: nutrients and water budget. *Hydrobiologia*. 364: 41-53.
- Myers, R.S., G.P. Shaffer and D.W. Llewellyn. 1995. Baldcypress restoration in southeast Louisiana: the relative effects of herbivory, flooding, competition, and macronutrients. *Wetlands*. 15: 141-148.
- Neill, C. and L.A. Deegan. 1986. The effect of Mississippi River Delta lobe development on the habitat composition and diversity of Louisiana coastal wetlands. *American Midland Naturalist*. 116:296-303.
- Newman, S., J.B. Grace, and J.W. Koebel. 1996. Effects of nutrients and hydroperiod on *Typha*, *Cladium*, and *Eleocharis*: implications of Everglades restoration. *Ecological Applications*. 6: 774-783.
- Nixon, S.W. 1981. Freshwater inputs and estuarine productivity. *Proceedings of the National Symposium on Freshwater Inflow to Estuaries*. Cross and Williams. Slidell, Louisiana. p. 31-55.
- Nobriga, M.L., F. Feyrer, R.D. Baxter, and M. Chotkowski. 2005. Fish Community Ecology in an Altered River Delta: Spatial Patterns in Species Composition, Life History Strategies, and Biomass. *Estuaries*. 28(5): 776-785.
- Nuttle, W.K., F.H. Sklar, A.B. Owens, M. Inoue, D. Justic, and W. Kim. 2008. Conceptual Ecological Model for River Diversions into Barataria Basin, Louisiana, Chapter 7. In: R.R. Twilley ed. *Coastal Louisiana Ecosystem Assessment & Restoration (CLEAR) Program: A tool to support coastal restoration*. Vol IV. Final Report to Department of Natural Resources, Coastal Restoration Division, Baton Rouge, LA. Contract No. 2512-06-02.
- Nyman, J.A. and R.H. Chabreck. 1996. Some effects of 30 years of weir management on coastal marsh aquatic vegetation and implications to waterfowl management. *Gulf of Mexico Science*. 1: 16-25.
- Nyman, J.A., M.K. La Peyre, A. Caldwell, S. Piazza, C. Thom, and C. Winslow. 2009. Defining restoration targets for water depth and salinity in wind-dominated *Spartina patens* (Ait.) Muhl. coastal marshes. *Journal of Hydrology*. 376: 327-336.
- Nyman, J.A., R.J. Walters, R.D. DeLaune and W.H. Patrick, Jr. 2006. Marsh vertical accretion via vegetative growth. *Estuarine Coastal and Shelf Science*. 69: 370-380.
- Nyman, J.A., R.H. Chabreck and R.G. Linscombe. 1990. Effects of weir management on marsh loss, Marsh Island, Louisiana USA. *Environmental Management*. 14(6): 809-814.
- Nyman, J.A., R.D. DeLaune and W.H. Patrick, Jr. 1990. Wetland soil formation in the rapidly subsiding Mississippi River Deltaic Plain: mineral and organic matter relationships. *Estuarine, Coastal and Shelf Science*. 31: 57-69.
- Nyman, J.A., M. Carloss, R.D. DeLaune and W.H. Patrick, Jr. 1994. Erosion rather than plant dieback as the mechanism of marsh loss in an estuarine marsh. *Earth Surface Processes and Landforms*. 19: 69-84.
- Nyman, J.A., C.R. Crozier and R.D. DeLaune. 1995. Roles and patterns of hurricane sedimentation in an estuarine marsh landscape. *Estuarine Coastal and Shelf Science*. 40: 665-679.
- Nyman, J.A., P.L. Klerks, and S. Bhattacharyya. 2007. Effects of chemical additives on hydrocarbon disappearance and biodegradation in freshwater marsh microcosms. *Environmental Pollution*. 149: 227-238.
- Nyman, J.A. and R.D. DeLaune. 1991. Mineral and organic matter accumulation rates in coastal deltaic marshes and their importance to landscape stability. pp. 166-170. In *Coastal Depositional Systems of the Gulf of Mexico: Quaternary Framework and Environmental Issues*. 12th Annual Research Conference Gulf Coast Section Society of Economic Paleontologists and Mineralogists Foundation. Earth Enterprises, Austin, Texas.
- Nyman, J.A., R.D. DeLaune, H.H. Roberts and W.H. Patrick Jr. 1993. Relationship between vegetation and soil formation in a rapidly submerging coastal marsh. *Marine Ecology Progress Series*. 96, 269-279.
- Nyman, J.A. and R.D. DeLaune. 1999. Four potential impacts of global sea level rise on coastal marsh stability. *Current Topics in Wetland Biogeochemistry*. 3: 112-117.
- Nyman, J.A. and R.H. Chabreck. 1995. Fire in coastal marshes: history and recent concerns. Pages 134-141 In" Susan I. Cerulean and R. Todd Engstrom eds. *Fire in wetlands: a management perspective*. Proc Tall Timbers Fire Ecology Conf, No 19. Tall Timbers Research Station, Tallahassee, FL.

- O'Farrell, C., J.F. La Peyre, K.T. Paynter and E.M. Burreson. 2000. Osmotic tolerance and volume regulation in vitro cultures of the oyster pathogen *Perkinsus marinus*. *Journal of Shellfish Research*. 19: 139-145.
- O'Connell, J.L. and J.A. Nyman. 2010. Marsh terraces in coastal Louisiana increase marsh edge and densities of waterbirds. *Wetlands*. 30: 125-135.
- O'Connell, M.T. with R.C. Cashner and G.N. Fuentes. 2002. Application of a diffusion model to describe a recent invasion; observations and insights concerning early stages of expansion for the introduced Rio Grande cichlid, *Cichlasoma cyanoguttatum*, in southeastern Louisiana. *Aquatic Invaders* 13 (4): 13, 16-21.
- Oenema, O., H. Kros and W. DeVries. 2003. Approaches and uncertainties in nutrient budgets: implications for nutrient management and environmental policies. *European Journal of Agronomy*. 20: 3-16.
- Olsen, S.B., T.V. Padma, and B.D. Richter. 2006. *Managing Freshwater Inflows to Estuaries: A Methods Guide*. U.S. Agency for International Development. 44 pp.
- Opperman, J.J., G.E. Galloway, J. Fargione, J.F. Mount, B.D. Richter, and Silvia Secchi. 2009. Sustainable Floodplains Through Large-Scale Reconnection to Rivers. *Science*. 326: 1487-1488.
- Paquette, C., K.L. Sunberg, R.M.J. Boumans, and G.L. Chmura. 2004. Changes in saltmarsh surface elevation due to variability in evapotranspiration and tidal flooding. *Estuaries*. 27(1): 82-89.
- Park, D., M. Inoue, Wiseman, Jr., W.J., D. Justic, and G. Stone. 2004. High-Resolution Integrated Hydrology-Hydrodynamic Model: Development and Application to Barataria Basin. Louisiana. U. S. Dept. of the Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS2004 - 063. 74 pp.
- Park, D. 2002. Hydrodynamics and freshwater diversion within Barataria Basin. Ph.D. dissertation, Louisiana State University. 112 pp.
- Parsons, M.L., Q. Dorth, R.E. Turner, and N.N. Rabalais. 2006. Reconstructing the development of eutrophication in Louisiana salt marshes. *Limnology and Oceanography*. 51(1 part 2): 533-534.
- Peebles E.B. and M.S. Flannery. 1992. Fish nursery use of the Little Manatee River estuary (Florida): relationships with freshwater discharge. Final Report for Southwest Florida Water Management District, Tampa Bay Estuary Program, St. Petersburg, FL.
- Penfound, W.T. and E.S. Hathaway. 1938. Plant communities in the marshlands of southeastern Louisiana. *Ecological Monographs*. 8: 1-56.
- Perret, W.S., J. Warren, M. Buchanan and L. Engel. 1998. Monitoring and Assessment of the 1997 Bonnet Carre' Spillway Opening In Mississippi Sound, MS. Completion Report. Mississippi Department of Marine Resources. Biloxi, MS. 50 pp.
- Peterson, M.S. 2003. A Conceptual View of Environment-Habitat-Production Linkages in Tidal River Estuaries. *Reviews in Fisheries Science*. 11(4): 291-313.
- Pezeshki, S.R., R.D. Delaune, and J.H. Pardue. 1992. Sediment addition enhances transpiration and growth of *Spartina alterniflora* in deteriorating Louisiana Gulf Coast salt marshes. *Wetlands Ecol Manage*. 1: 185-189.
- Pezeshki, S.R., R.D. Delaune and W.H. Patrick Jr. 1987. Response of the freshwater marsh species, *Panicum Hemitomon* Schult., to increased salinity. *Freshwater Biol*. 17: 195-200.
- Pezeshki, S.R., R.D. Delaune and W.H. Patrick Jr. 1987. Effects of flooding and salinity on photosynthesis of *Sagittaria lancifolia*. *Mar Ecol Prog Ser*. 41: 87-91.
- Pezeshki, S.R. 1990. A comparative study of the response of *Taxodium distichum* and *Nyssa* aquatic seedlings to soil anaerobiosis and salinity. *For. Ecol. Manage*. 33/34: 531-541.
- Pezeshki, S.R., R.D. Delaune and W.H. Patrick Jr. 1987. Response of bald cypress (*Taxodium distichum* L. var. *distichum*) to increases in flooding and salinity in Louisiana's Mississippi River Deltaic Plain. *Wetlands*. 7: 1-10.
- Pezeshki, S.R., R.D. DeLaune and W.H. Patrick. 1987. Response of *Spartina patens* to increasing levels of salinity in rapidly subsiding marshes of the Mississippi River deltaic plain. *Estuarine, Coastal and Shelf Science*, 24: 389-399
- Piazza, B.P. 2009. The role of climate variability in the community dynamics of estuarine nekton. Louisiana State University, Baton Rouge, LA. Ph.D. Dissertation. 157 pp.
- Piazza, B.P. and M.K. LaPeyre. 2010. Nekton community response to a large-scale Mississippi River discharge: Examining spatial and temporal response to river management. *Estuarine, Coastal and Shelf Science*. In Press.
- Piazza, B.P. and M.K. LaPeyre. 2007. Restoration of the annual flood pulse in Breton Sound, Louisiana, USA: habitat change and nekton community response. *Aquatic Biology*. 1: 109-119.

- Piazza, B.P. and M.K. La Peyre. 2005. Pulsed Freshwater effects on nekton communities in Brenton Sound, Louisiana, USA. Proc 14th Biennial Coastal Zone Conf. 5 pp.
- Poach, M.E. and S.P. Faulkner. 1998. Soil phosphorus characteristics of created and natural wetlands in the Atchafalaya Delta, LA. Estuarine, Coastal and Shelf Science. 46: 195-203.
- Poff, N.L., J.D. Olden, D.M. Merritt and D.M. Pepin. 2007. Homogenization of regional river dynamics by dams and global biodiversity implications. Proceedings of the National Academy of Sciences. 104: 5732-5737.
- Poirrier, M.A. and J.M. King. 1998. Observations on Lake Pontchartrain Blue-green Algal Blooms and Fish Kills. 1998 Basics of the Basin Symposium.
- Poirrier, M.A., K. Burt-Utley, J.F. Utley, and E.A. Spalding. 2009. An Inventory and Assessment of the Distribution of Submersed Aquatic Vegetation at Jean Lafitte National Historic Park and Preserve. Jean Lafitte National Historic Park and Preserve, New Orleans, Louisiana.
- Powell, E.N., J.M. Klinck, E.E. Hofmann, and M.A. Mcmanus. 2003. Influence of water allocation and freshwater inflow on oyster production: A hydrodynamic-oyster population model for Galveston Bay, Texas, USA. Environmental Management. 31: 100-121.
- Price, J. and M. Guidry. 2005. 2005 Operations, Maintenance, and Monitoring Report for Humble Canal Hydrologic restoration (ME-11). Louisiana Department of Natural Resources. Coastal Restoration Division and Coastal Engineering Division, Lafayette, Louisiana.
- Rabalais, N.N, R.E. Turner, Q. Dortch, D. Justic, V.J. Bierman Jr. and W.J. Wiseman Jr. 2002. Nutrient-enhanced productivity in the northern Gulf of Mexico: Past, present, and future. Hydrobiologia. 475/476: 39-63.
- Rabalais, N.N. and R.E. Turner. 2001. Hypoxia in the northern Gulf of Mexico: Description, causes, and change. In: Coastal Hypoxia: Consequences for Living Resources and Ecosystems.
- Rabalais, N.N., R.E. Turner and D. Scavia. 2002. Beyond science into policy: Gulf of Mexico hypoxia and the Mississippi River. Bioscience. 52: 1291-1242.
- Rabalais, N.N., R.E. Turner and W.J. Wiseman. 1992. Distribution and characteristics of hypoxia on the Louisiana Shelf in 1990 and 1991. pp. 15-20 in Nutrient Enhanced Coastal Ocean Productivity. Galveston (TX): Texas Sea Grant Program, Texas A&M University. Publication no.TAMU-SG-92-109.
- Ragone C. and E.M. Burreson. 1993. Effect of salinity on infection progression and pathogenicity of *Perkinsus marinus* in the eastern oyster, *Crassostrea virginica* (Gmelin). Journal of Shellfish Research. 12: 1-7.
- Rahel, F.J. and J.D. Olden. 2008. Assessing the Effects of Climate Change on Aquatic Invasive Species. Conservation Biology. 22(3): 521-533.
- Ray, G.L. 2009. Response of Benthic Invertebrate Communities Following the 2008 Bonnet Carre' Spillway Release. Report to the U.S. Army Engineer District, New Orleans.
- Raynie, R. 1994. 1993 Annual Monitoring Report, Pecan Island Freshwater Introduction. Louisiana Department of Natural Resources. Coastal Restoration Division. Baton Rouge, Louisiana. 24 pp.
- Redalje, D.G., S.E. Lohrenz and G.L. Fahnenstiel. 1994. The relationship between primary production and the vertical export of Mississippi River Sediment, Nutrient, & Freshwater Redistribution Study particulate organic matter in a river-impacted coastal ecosystem. Estuaries 17(4):829-838.
- Reed, D. 1989. Patterns of sediment deposition in subsiding coastal salt marshes, Terrebonne Bay, Louisiana: The role of winter storms. Estuaries. 12: 222-227.
- Reed, D.J., N. DeLuca, and A.L. Foote. 1997. Effect of hydrologic management on marsh surface sediment deposition in coastal Louisiana. Estuaries. 20: 301-311.
- Reed, D.J. and L. Wilson. 2004. Coast 2050: A new approach to restoration of Louisiana's coastal wetlands. Physical Geography. 25: 4-21.
- Reyes, E., M. White, J. Martin, P. Kemp, J. Day, and V. Aravamuthan. 2000. Landscape modeling of coastal habitat change in the Mississippi delta. Ecology. 81: 2331-2349.
- Reyes, E., R. Lane, and J.W. Day. 2003. Watershed analysis of pulsing freshwater events using landscape modeling in coastal Louisiana. In Proceedings of the First Interagency Conference on Research in the Watershed, Benson, AZ, October 27-30, 2003.
- Rick, S., H.H. Rick and R. Twilley. 2003. Benthic and pelagic nutrient cycling in a coastal watershed influenced by river diversions (Caernarvon, Louisiana). In: ERF Conference Proceedings, Seattle, Washington, September 14-18, 2003.

- Rioual, C., D. Pont, J. Day, P. Hensel, E. Franquet, F. Torre, P. Rioual, C. Ibanez and E. Coulet. 2002. Response scenarios for the deltaic plain of the Rhone in the face of an acceleration in the rate of sea level rise, with a special attention for Salicornia-type environments. *Estuaries*. 25: 337-358.
- Response scenarios for the deltaic plain of the Rhone in the face of an acceleration in the rate of sea level rise, with a special attention for Salicornia-type environments. *Estuaries*. 25: 337-358.
- Rozas, L.P. and T.J. Minello. 2010. Nekton Density Patterns in Tidal Ponds and Adjacent Wetlands Related to Pond Size and Salinity. *Estuaries and Coasts*. 33: 652-667.
- Rozas, L.P. 1995. Hydroperiod and its influence on nekton use of the salt marsh: a pulsing ecosystem. *Estuaries*. 18: 579-590.
- Rozas, L.P., T.J. Minello, I. Munuera-Fernandez, B.Fry and B. Wissel. 2005. Macrofaunal distributions and habitat change following winter-spring pulsed releases of freshwater into the Breton Sound estuary, Louisiana. *Estuarine and Coastal Shelf Science*. 65: 319-336.
- Rybczyk, J.M., J.C. Callaway and J.W Day, Jr. 1998. A relative elevation model for a subsiding coastal forested wetland receiving wastewater effluent. *Ecological Modelling*. 112: 23-44.
- Rybczyk, J., X.W. Zhang, J. Day, I. Hesse and S. Feagley. 1995. The impact of Hurricane Andrew on tree mortality, litterfall and water quality in a Louisiana coastal swamp forest. *Journal of Coastal Research, Special Issue*. 21: 340-353.
- Rybczyk, J., G. Garson and J. Day. 1996. Nutrient enrichment and ecomposition wetland in wetland ecosystems: models, analyses and effects. *Currents Topics in Wetland Biogeochemistry*. 2: 52-72.
- Rybczyk, J. M., J.W Day Jr. and W.H. Conner. 2002. The impact of wastewater effluent of accretion and decomposition in a subsiding forested wetland. *Wetlands*. 22: 18-32.
- Rybczyk, J.M. and D.R. Cahoon. 2002. Estimating the potential for submergence for two wetlands in the Mississippi River delta. *Estuaries*. 25(5): 985-998.
- Sabo, M.J., B.C. Fredrick, W.E. Kelso and A.Rutherford. 1999. Hydrology and Aquatic Habitat Characteristics of a riverine swamp: I. Influence of flow on water temperature and chemistry. *Regulated Rivers: Research & Management*. 15(6): 505-523.
- Sasser, C.E. 1994. Vegetation Dynamics in Relation to Nutrients in Floating Marshes in Louisiana, U.S.A. Ph.D. Dissertation, University of Utrecht, The Netherlands, 193 pp.
- Sasser, C.E. and J.G. Gosselink. 1984. Vegetation and Primary Production in a Floating Freshwater Marsh in Louisiana. *Aquatic Botany*. 20: 245-255.
- Sasser, C.E., J.G. Gosselink, E.M. Swenson and D.E. Evers. 1995. Hydrologic, Vegetation, and Substrate Characteristics of Floating Marshes in Sedimentrich Wetlands of the Mississippi River Delta Plain, Louisiana, USA. *Wetlands Ecology* 3(3): 171-187.
- Scaroni, A.E., C.W. Lindau, and J.A. Nyman. 2010. Spatial Variability of Sediment Denitrification Across the Atchafalaya River Basin, Louisiana, USA. *Wetlands*. 30(5): 949-955.
- Scaroni, A.E., J.A. Nyman, and C.W. Lindau. 2010. Comparison of denitrification characteristics among three habitat types of a large river floodplain: Atchafalaya River Basin, Louisiana. *Hydrobiologia*. 658(1): 17-25.
- Scavia, D., N.N. Rabalais, R.E. Turner, D. Justic, and W.F. Wiseman, Jr. 2003. Predicting the response of Gulf of Mexico hypoxia to variations in Mississippi River nitrogen load. *Limnology and Oceanography*. 48(3): 951-956.
- Shaffer, G.P., W.B. Wood, S.S. Hoepfner, T.E. Perkins, J. Zoller, and D. Kandalepas. 2009. Degradation of Baldcypress-Water Tupelo Swamp to Marsh and Open Water in Southeastern Louisiana, U.S.A.: An Irreversible Trajectory? *Journal of Coastal Research*. 54: 152-165.
- Shaffer, G.P., T.E. Perkins, S. Hoepfner, S. Howell, H. Benard and A.C. Parsons. 2003. Ecosystem Health of the Maurepas Swamp: Feasibility and Projected Benefits of a Freshwater Diversion, Environmental Protection Agency, Dallas, TX.
- Sharp, L.A. and D. Billodeau. 2004. 2004 Operations, Maintenance, and Monitoring Report for Hwy. 384 Hydrologic Restoration (CS-21). Louisiana Department of Natural Resources. Coastal Restoration Division, Lafayette, Louisiana. 32 pp.
- Sharp, L.A. and D. Billodeau. 2005. 2005 Operations, Maintenance, and Monitoring Report for Hwy. 384 Hydrologic Restoration (CS-21). Louisiana Department of Natural Resources. Coastal Restoration Division, Lafayette, Louisiana. 31 pp.
- Silliman, B.R., J. van de Koppel, M.D. Bertness, L.E. Stanton and I.A. Mendelsohn. 2005. Drought, snails, and large-scale die-off of southern U.S. salt marshes. *Science*. 310: 1803-1806.
- Sillman, B.R. and M.D. Bertness. 2002. A trophic cascade regulates salt marsh primary production. *Proceedings of the National Academy of Sciences*. U.S.A. 99: 10500-10505.

- Simenstead, C., D. Reed, and M. Ford. 2006. When is restoration not? Incorporating landscape-scale processes to restore self-sustaining ecosystems in coastal wetland restoration. *Ecological Engineering*. 26: 27-39.
- Sinclair, A.R.E., C.J. Krebs, J.M. Fryxell, R. Turkington, S. Boutin, and R.Boonstra. 2000. Testing hypotheses of trophic level interactions: a boreal forest ecosystem. *Oikos*. 89: 313-328.
- Sklar, F.H., R. Costanza and J.W. Day. 1985. Dynamic spatial simulation modeling of coastal wetland habitat succession. *Ecological Modeling*. 29: 261-281.
- Sklar, F.H. and J.A. Browder. 1998. Coastal Environmental Impacts Brought About by Alterations to Freshwater Flow in the Gulf of Mexico. *Environmental Management*. 22(4): 547-62.
- Sklar, F.H. and R.E. Turner. 1981. Characteristics of phytoplankton production off Barataria Bay in an area influenced by the Mississippi River. *Contribution in Marine Science*. 24: 93-106.
- Slocum, M.G., I.A. Mendelssohn and N.L. Kuhn. 2005. Effects of sediment slurry enrichment on salt marsh rehabilitation: Plant and soil responses over seven years. *Estuaries*. 28: 519-528.
- Smalley, A.E. 1959. The role of two invertebrate populations, *Littorina irrorata* and *Orchelimum jidicinium* in the energy flow of a salt marsh ecosystem. Ph.D. Thesis, University of Georgia, Athens, 126 pp.
- Smith, C.J., R.D. DeLaune and W.H. Patrick Jr. 1985. Fate of riverine nitrate entering an estuary: I. Denitrification and Nitrogen Burial. *Estuaries*. 8: 15-21.
- Smith, D. 2003. Monitoring Plan for Barataria Bay Waterway Wetland Restoration (BA-19). Louisiana Department of Natural Resources. Coastal Restoration Division.
- Smith, R.P. 2009. Historic Sediment Accretion Rates in a Louisiana Coastal Marsh and Implications for Sustainability. Masters Thesis, Louisiana State University. Baton Rouge, Louisiana. USA.
- Snedden, G.A., J.E. Cable and W.J. Wiseman. 2007. Subtidal Sea Level Variability in a Shallow Mississippi River Deltaic Estuary, Louisiana. *Estuaries and Coasts*. 30(5): 802-812.
- Snedden, G. 2006. River, tidal, and wind interactions in a deltaic estuarine system. Ph.D. dissertation, Louisiana State University. 116 pp.
- Snedden, G. A., J.E. Cable, E. Swenson and A.N. Tarver. 2001. Effects of an Experimental Pulsed River Flood on Hydraulic Circulation in the Breton Sound Estuary. Louisiana State University, Baton Rouge LA.
- Snedden, G.A. and J.E. Cable. 2007. A Wavelet Analysis of Subtle Sea Level Variability in a Deltaic Estuary in Response to Nonstationary Atmospheric and Fluvial Forcing. In *Coastal Hydrology and Processes*. Singh, V.P. and Y Jun Xu eds. pp 534.
- Snedden, G.A., J.E. Cable, C. Swarzenski and E. Swenson. 2007. Sediment Discharge Into a Subsiding Louisiana Deltaic Estuary Through a Mississippi River Diversion. *Estuarine, Coastal and Shelf Science*. 71(1-2): 181-93.
- Soileau, C.W., B. J. Garret, and B. Thibodaux. 1989. Drought induced saltwater intrusion on the Mississippi River, coastal zone '89. *Proceedings of the American Society of Civil Engineers*. 3: 2823-2836.
- Soniat, T.M. 1985. Changes in levels of infection of oysters by *Perkinsus marinus*, with special reference to the interaction of temperature and salinity upon parasitism. *Northeast Gulf Science*. 7(2): 171-174.
- Souther, R.F. and G.P. Shaffer. 2000. The effects of submergence and light on two age classes of bald cypress (*Taxodium distichum*) seedlings. *Wetlands*. 20: 697-706.
- Spalding, E.A. and M.W. Hester. 2007. Interactive effects of hydrology and salinity on oligohaline plant species productivity: Implications of relative sea-level rise. *Estuaries and Coasts*. 30(2): 214-225.
- Spring, C. 2005. Fisheries Implications of Management Scenarios for the Caernarvon Freshwater Diversion Based on an Ecological Model. *Proceedings of the 14th Biennial Coastal Zone Conference*. 3 pp.
- Stanley, J.G. and M.A. Sellers. 1986. Species profile: Life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico)—American oyster. U.S. Fish and Wildlife Service Biological Report 82(11.64). U.S. Army Corps of Engineers, TR EL-82-4. 25 pp.
- Stern, M., J. Day and K. Teague. 1991. Nutrient transport in a riverine-influenced, tidal freshwater bayou in Louisiana. *Estuaries*. 144: 382-394.
- Stern, M.K., J.W. Day, Jr. and K.G. Teague. 1986. Seasonality of materials transport through a coastal freshwater marsh: Riverine versus tidal forces. *Estuaries*. 9(4a): 301-308.

- Stern, M.K., J.W. Day and K.G. Teague. 1991. Nutrient transport in a riverine influenced, tidal freshwater bayou in Louisiana. *Estuaries*. 14: 382-394.
- Sutula, M., T.S. Bianchi and B.A. McKee. 2004. Effect of seasonal sediment storage in the lower Mississippi River on the flux of reactive particulate phosphorous to the Gulf of Mexico: *Limnology and Oceanography*. 49: 2223-2235.
- Swarzenski, C.M., T.W. Doyle, B. Fry and T.G. Hargis. 2008. Biogeochemical response of organic-rich freshwater marshes in the Louisiana delta plain to chronic river water influx. *Biogeochemistry*. 90: 49-63.
- Swarzenski, P. and P. Campbell. 2004. Geophenomena: Tracking Contaminants Down the Mississippi. *Geotimes*. 49(5): 40-41.
- Swarzenski, P.W. and B.A. McKee. 1999. Seasonal uranium distributions in the coastal waters off the Amazon and Mississippi Rivers. *Estuaries*. 21: 379-90.
- Swenson, E.M., J.E. Cable, B. Fry, D. Justic, A. Das, G. Snedden. 2006. Estuarine flushing times influenced by freshwater diversions. In: V.P. Singh and Y.J. Xu, eds.. *Coastal Hydrology and Process*, Water Resources Publications, LLC, Highland Ranch, CO, USA. pp.403-412.
- Swenson, E.M. and R.E. Turner. 1998. Past, Present, and Probable Future Salinity Variations in the Barataria Estuarine system. Baton Rouge, La: Coastal Ecology Institute, CCEER, Louisiana State University.
- Taylor, H.E., J.R. Garbarino and T.I. Brinton. 1990. The occurrence and distribution of trace metals in the Mississippi River and its tributaries. *Science of the Total Environment*. 97/98: 369-84.
- Taylor, K.L. and J.B. Grace. 1995. The effects of vertebrate herbivory on plant community structure in coastal marshes of the Pearl River, Louisiana, USA. *Wetlands*. 15: 68-73.
- Taylor, K.L., J.B. Grace and B.D. Marx. 1997. The effects of herbivory on neighbor interactions along a coastal marsh gradient. *American Journal of Botany*. 84: 708-715.
- Teague, K., J. Day and C. Madden. 1988. Sediment-water oxygen and nutrient fluxes in a river-dominated estuary. *Estuaries*. 11: 1-9.
- Templet, Paul H., Meyer-Arendt and J. Kaus. 1988. Louisiana wetland loss: regional water management Approach to the problem. *Environmental Management*. 12(2): 181-192.
- Thompson, B.A. and L.A. Deegan. 1983. The Atchafalaya River Delta: A "new" fishery nursery, with recommendations for management. Pp. 217-239. In: F. Webb (ed.), *Proceedings of the Tenth Conference on Wetlands Restoration and Creation*. Hillsborough Community College, Tampa, FL.
- Thomson, D.A. 2000. The influence of hydrological alterations upon wetland hydrodynamics and plant growth on the Manchac Landbridge. Master's Thesis, Southeastern Louisiana University, Hammond, LA, USA.
- Thomson, D.A., G.P. Shaffer and J.A. McCorquodale. 2002. A potential interaction between sea-level rise and global warming: implications for coastal stability on the Mississippi River Deltaic Plain. *Global Planet Change*. 32: 49-59.
- Tobias, V.D., J.A. Nyman, R.D. DeLaune, and J.D. Foret. 2010. Improving marsh restoration: leaf tissue chemistry identifies factors limiting production in *Spartina patens*. *Plant Ecology*. 207: 141-148.
- Tockner K., F. Milard and J.V. Ward. 2000. An extension of the flood pulse concept. *Hydrological Processes*. 14: 2861-2883.
- Toner, M. and P. Kreddy. 1997. River hydrology and riparian wetlands: a predictive model for ecological assembly. *Ecological Applications*. 7: 236-246.
- Törnqvist, T.E., D.J. Wallace, J.E.A. Storms, J. Wallinga, R.L. Van Dam, M. Blaauw, M.S. Derksen, C.J.W. Klerks, C. Meijneken, and E.M.A. Snijders. 2008. Mississippi Delta subsidence primarily caused by compaction of Holocene strata. *Nature Geoscience*. 1: 173-176.
- Trefry, J.H. III, T.A. Nelson, R.P. Trocine, S. Metz and T.W. Vetter. 1986. Trace metal fluxes through the Mississippi River delta system. In: Contaminant fluxes through the coastal zone, Kullenberg, G., (ed.). *Rapparts et Proces-Verbaux des Reunions Conseil International pour l'Exploration de la Mer*, 186: 277-288.
- Troutman, J. and A.D. MacInnes. 1999. Progress Report No. 1. Channel Armor Gap Crevasse (MR-06/XMR-10). 15 pp.
- Turner, R.E., J.J. Baustian, E.M. Swenson, and J.S. Spicer. 2006. Wetland sedimentation from Hurricanes Katrina and Rita. *Science* 313: 1713-1715.
- Turner, R.E., N.N. Rabalais, R.B. Alexander, G. Mclsaac, and R.W. Howarth. 2007. Characterization of nutrient, organic carbon, and sediment loads and concentrations from the Mississippi River into the Northern Gulf of Mexico. *Estuaries and Coasts*. 30(5): 773-790.
- Turner, R.E. 2006. Will lowering estuarine salinity increase Gulf of Mexico oyster landings? *Estuaries and Coasts*. 29: 345-352.

- Turner, R.E. in press. Beneath the Salt Marsh Canopy: loss of soil strength with increasing nutrient loads. *Estuaries and Coasts*.
- Turner, R.E. 1998. A comparative mass balance budget (C, N, P and suspended solids) for natural swamp and overland flow systems. Pages 1-11 in Vymazal J. (ed.). *Nutrient Cycling and Retention in Natural and Constructed Wetlands*. Leiden (The Netherlands): Backhuys.
- Turner, R.E. 2009. Doubt and the Values of an Ignorance-Based World View for Restoration: Coastal Louisiana Wetlands. *Estuaries and Coasts*. 32: 1054-1068.
- Turner, R.E. 1990. Managing wetlands in coastal Louisiana for plants, waterfowl, fish and other animals. *Bulletin d'Ecologie*. 21(3): 21-24.
- Turner, R.E. 1997. Wetland Loss in the Northern Gulf of Mexico: Multiple Working Hypotheses. *Estuaries*. 20:1 pp1-13.
- Twilley, R.R., B.R. Couvillion, I. Hossain, C. Kaiser, A.B. Owens, and G.D. Steyer. 2008. Coastal Louisiana Ecosystem Assessment and Restoration Program: The Role of Ecosystem Forecasting in Evaluating Restoration Planning in the Mississippi River Deltaic Plain. *American Fisheries Society Symposium*. 64: 29-46.
- Twilley, R.R. and V. Rivera-Monroy. 2009. Sediment and nutrient tradeoffs in restoring Mississippi River Delta: restoration vs. eutrophication. *Journal of Contemporary Water Research and Education*. 141: 39-44.
- Twilley, R.R., G. Etoung, P. Romare, and W.M. Kemp. 1986. A comparative study of decomposition, oxygen consumption and nutrient release for selected aquatic plants occurring in an estuarine environment. *Oikos* 47: 190-198.
- Twilley, R.R. and A. Nyman. 2002. The role of biogeochemical processes in marsh restoration: implications to freshwater diversions. Louisiana Department of Natural Resources, Baton Rouge, Louisiana.
- USACE. 2004. Louisiana Coastal Area Ecosystem Restoration Study.
- USACE. 2010. Biological Assessment for LCA - Medium Diversion at White Ditch, Appendix A-1, Biological Assessment, U.S. Fish and Wildlife Service, Louisiana Coastal Area (LCA) Ecosystem Restoration Study, Volume VI of VI, Final Integrated Feasibility Study and Supplemental Environmental Impact Statement for the Medium Diversion at White Ditch, Plaquemines Parish Louisiana, September 2010.
- USACE. 2008. Individual Environmental Report #11 Improved Protection on the Inner Harbor Navigation Canal Orleans and St Bernard Parishes, Louisiana. Draft Report. United States Army Corps of Engineers. New Orleans, Louisiana. pp. 159.
- USACE. 2009. Bonnet Carre Spillway Master Plan. USACE, New Orleans, Louisiana.
- USACE. 2008. Environmental Assessment. Mississippi Delta Region, Caernarvon Freshwater Diversion Structure Change in Structure Operation (EA#392). U.S. Army Corps of Engineers, New Orleans District.
- USACE, WRP. 1997. Wetland Engineering in Coastal Louisiana: Naomi Siphon. Wetland Reserve Program, Technical Note WG-RS-7.2. pp 7.
- USACE. 2008. Louisiana Coastal Protection and Restoration Technical Report. Draft Report. United States Army Corps of Engineers. New Orleans, Louisiana. 171 pp.
- USACE-LDWF. 1992. Caernarvon Preconstruction Report. Caernarvon Freshwater Diversion Structure Monitoring Program. US Army Corps of Engineers. New Orleans District and Louisiana Department of Wildlife and Fisheries.
- USACE. 1982. Atchafalaya Basin Floodway System, Louisiana. Feasibility Study. Vol. 3, Technical Appendices E, F, G, H, and, I: EIS-78.
- USACE-LDWF. 1998. Caernarvon Post Construction Report. Caernarvon Freshwater Diversion Structure Monitoring Program. US Army Corps of Engineers. New Orleans District and Louisiana Department of Wildlife and Fisheries.
- USACE. 1982. Louisiana Coastal Area, LA: Feasibility Report on Freshwater Diversion to Barataria and Breton Sound Basins. USACE New Orleans D.
- USACE. 2000. Mississippi River Sediment, Nutrient, and Freshwater Redistribution Study. U.S. Army Corps of Engineers. New Orleans, LA.
- USDA. 1996. Final Project Plan and Environmental Assessment for Brady Canal Hydrologic Restoration (PTE-26b). United States Department of Agriculture. Natural Resources Conservation Service.
- USFWS. 2008. Delta and Breton National Wildlife Refuge Comprehensive Conservation Plan. US Dept. of the Interior, Southeast Region. Atlanta, Georgia. 140 pp.
- USGS. 2008. Davis Pond Freshwater Prediversion Biomonitoring Study: Freshwater Fisheries and Eagles. United States Geological Survey. Reston, Virginia. pp. 102.
- Valiela, I., J.M. Teal. 1974. Nutrient limitation in salt marsh vegetation. In *Ecology of Halophytes*. R.J. Reinhold and W.H. McQueen eds. New York, NY. Academic Press. p. 547-563.

- van Heerden, I.L., and H.H. Roberts 1980. The Atchafalaya Delta: Rapid Progradation along a traditionally retreating coast (South-Central Louisiana). *Z. Geomorph. N.F. Suppl.-Dd.34*. 188-201.
- Villarubia, C.R. 1999. Caernarvon Subcommittee on Marsh Enhancement and Fisheries Monitoring, US Army Corps of Engineers, District Assembly Room, October 21, 1999.
- Visser, J.M. and C.E. Sasser. 1996. Marsh Vegetation Types of the Mississippi River Deltaic Plain. *Estuaries*. 21(48): 818-828.
- Visser, J.M., C.E. Sasser, R.H. Chabreck, and R.G. Linscombe. 1998. Marsh Vegetation Types of the Mississippi River Deltaic Plain. *Estuaries*. 21(4B): 818-828.
- Walker, N.D. 2001. Tropical Storm and Hurricane Wind Effects on Water Level, Salinity, and Sediment Transport in the River-influenced Atchafalaya-Vermilion Bay System, Louisiana, USA. *Estuaries*. 24(4): 498-508.
- Walker, N.D. 1994. Satellite-based assessment of the Mississippi River discharge plume's spatial structure and temporal variability. OCS Study MMS 94-0053. U.S. Dept. of the Interior, Mineral Management Service, Gulf of Mexico OCS Region, New Orleans, Louisiana, 56 pp.
- Ward, G.H., M.J. Irbeck, and P.A. Montagna. Experimental river diversion for marsh enhancement. *Estuaries*. 25(6B): 1416-1425.
- Watkins, L. 2005. The effects of hydrology, nutrients, and salinity on ten common wetland plants in Louisiana: a mesocosm study. Masters Thesis, Southeastern Louisiana University.
- Wetland Biogeochemical Institute. 2002. Development of methods and guidelines for use in maximizing marsh creation at a Mississippi river freshwater diversion site. Final Report for LDNR Contract No 533240/2512-98-7. Louisiana State University, Baton Rouge, LA. March 2002. 74 p.
- Wheelock, K.W. 2003. Pulsed river flooding effects on sediment deposition in Breton Sound Estuary, Louisiana. M.S. Thesis. Louisiana State Univ., Baton Rouge, Louisiana, USA.
- White, D.A. and S.A. Skojac. 2002. Remnant bottomland forests near the terminus of the Mississippi River in southeastern Louisiana. *Castanea*. 67: 134-145.
- White, D.A. 1989. Accreting mudflats at the Mississippi River delta: sedimentation rates and vascular plant succession. pp. 49-57. In: Duffy, W.G. & D. Clark, (eds.). *Marsh management in coastal Louisiana: effects and issues - proceedings of a symposium*. U.S. Fish & Wildlife Service & Louisiana Dept. Nat. Resources. U.S.F.W.S. Ser. Biol. Rept. 89(2): 378.
- White, D.A. 1993. Vascular plant community development on mudflats in the Mississippi River delta, Louisiana, U.S.A. *Aquatic Botany*. 45: 171-194.
- White, J.R., R.W. Fulweiler, C.Y. Li., S. Bargu, N.D. Walker, R.R. Twilley, and S.E. Green. 2009. Mississippi River Flood of 2008: Observations of a Large Freshwater Diversion on Physical, Chemical, and Biological Characteristics of a Shallow Estuarine Lake. *Environmental Science and Technology*. 43(15): 5599-5604.
- White, J.R., R.D. DeLaune, N.D. Walker, and C. Villarrubia. Undated. Restoration of coastal Louisiana wetlands using large surface water diversions. PowerPoint. Louisiana State University. Louisiana Department of Natural Resources. Baton Rouge, LA.
- Williams A.J. and J.C. Trexler 2006. A preliminary analysis of the correlation of food-web characteristics with hydrology and nutrient gradients in the southern Everglades. *Hydrobiologia* 569:493-504.
- Willis, J.M. and M.W. Hester. 2004. Interactive effects of salinity, flooding, and soil type on *Panicum hemitomon*. *Wetlands*. 24(1): 43-50.
- Wissel, B., A. Gace and B. Fry. 2005. Tracing River Influences on Phytoplankton Dynamics in Two Louisiana Estuaries. *Ecology*. 86(10): 2751-2762.
- Wissel, B. and B. Fry. 2005. Tracing Mississippi River Influences in Estuarine Food Webs of Coastal Louisiana. *Oecologia*. 144: 659-672.
- Woods, J.H. 2004. Stormwater diversion as a potential coastal wetland restoration method. Master's Thesis, Louisiana State University. 83 pp.
- Woodward-Clyde. 1992. Marsh Creation, Big Island Mining, Atchafalaya Basin, Atchafalaya Delta (XAT-7). 20 pp.
- Yu, K., R.D. DeLaune and P. Boeckx. 2006. Direct measurement of denitrification activity in a Gulf freshwater marsh receiving diverted Mississippi River water. *Chemosphere*. 65: 2449-2455.
- Zedler, J.B. and P.A. Beare. 1986. Temporal variability of salt marsh vegetation: the role of low-salinity gaps and environmental stress. In: *Estuarine Variability*. Edited by D.A. Wolfe. San Diego, CA: Academic Press. p. 295-306.

Complete Reference

Zhang, X., S. Feagley, J. Day, W. Conner, I. Hesse, J. Rybczyk and W. Hudnall. 2000. A water chemistry assessment of wastewater remediation in a natural swamp. 2000. *Journal of Environmental Quality*. 29: 1960-1968.

Zinn, J. 2004. Coastal Louisiana: Attempting to Restore an Ecosystem. CRS Report for Congress. pp 24.

