

**Appendix D**  
**FISHERIES BIBLIOGRAPHY**



## Complete Reference

- Alber, M. 2002. A conceptual model of estuarine freshwater inflow management. *Estuaries* 25: 1246-261.
- Alford, J.B. 2010. Changes in fish community structure in the Barataria Basin following freshwater diversion in the Mississippi River [Abstract]. Abstracts of the 31st Annual Meeting of the Louisiana Chapter of the American Fisheries Society "Invasive Species," Baton Rouge, LA January 28-29, 2010.
- Andrews J.D, D. Haven and D.B. Quayle. 1959. Freshwater kill of oysters (*Crassostrea virginica*) in James River, Virginia, 1958. Proceedings of the National Shellfisheries Association. 49: 29-49.
- Aucoin, S. 2005. 2005/2006 Annual Inspection Report for Four Mile Canal Terracing and Sediment Trapping Project (TV-18). Louisiana Department of Natural Resources. Coastal Engineering Division, Lafayette, Louisiana.
- Barisich, G. 1998. Caernarvon's impact on fisheries: A commercial fisherman's perspective. Pp. 42-46 in J. Horst Freshwater Diversions; A public forum. Louisiana Sea Grant College Program, Louisiana State University, Baton Rouge, Louisiana.
- Barletta M., A. Barletta-Bergen, U. Saint-Paul and G. Hubold. 2005. The role of salinity in structuring the fish assemblages in a tropical estuary. *Journal of Fish Biology*. 66: 45-72.
- Batker, D., I. de la Torre, R. Costanza, P. Swedeen, J. Day, and R. Boumans. 2010. Gaining Ground; Wetlands, Hurricanes and the Economy: The Value of Restoring the Mississippi River Delta. *Earth Economics*. Tacoma, Wa. 100 pp.
- Batelle. 2008. Mississippi River Delta management study--Preliminary strategic plan. For LDNR
- Beck, M. 2002. Forecasting Fecal Coliform Contamination in Louisiana Oyster Leases Using a Dynamic Linear Model. AWRA Spring Specialty Conference on Coastal Water Resources.
- Bejarano, R. 1983. Water quality in Lake Pontchartrain before, during, and after the opening of the Bonnet Carre Spillway in 1983. LDWF Seafood Division.
- Bowman, P.E., W.S.Perret and J.E. Rousell. 1995. Freshwater Introduction and Implications for Fisheries Production in Louisiana, Louisiana Department of Wildlife and Fisheries, non-published manuscript.
- Brammer, A., Z. Rodriguez del Rey, E. Spalding and M. Poirrier. 2007. Effects of the 1997 Bonnet Carré Spillway Opening on Infaunal Macroinvertebrates in Lake Pontchartrain, Louisiana. *Journal of Coastal Research*. Fall 2007: 1292-1303.
- Breithaupt, R.L. and R.J. Dugas. 1979. A study of the southern oyster drill (*Thais heamastoma*) distribution and density on the oyster seed grounds. Louisiana Wildlife and Fisheries Communications, Technical Bulletin 30. 20 pp.
- Browder J.A. and D. Moore. 1981. A new approach to determining the quantitative relationship between fishery production and flow of fresh water to estuaries. In: Cross R.D. Williams. eds. *Nat Symp on Freshwater Inflow to Estuaries*. US Department of the Interior, US Fish and Wildlife Service, Washington, DC, p 403-450.
- Browder, J.A. 1985. Relationship between pink shrimp production on the Tortugas grounds and water flow patterns in the Florida Everglades. *Bulletin of Marine science*. 37: 839-856.
- Browder, J.A., L.N. May, A. Rosenthal, J.G. Gosselink and R.H. Baumann. 1989. Modeling future trends in wetland loss and brown shrimp production in Louisiana using thematic mapper imagery. *Remote Sensing of Environment*. 28: 45-59.
- Brown, L.R. 2003. Will Tidal Wetland Restoration Enhance Populations of Native Fishes? *San Francisco Estuary and Watershed Science*. 1(1).
- Bunn, S.E. and A.H. Arthington. 2002. Basic Principles and Ecological Consequences of Altered Flow Regimes for Aquatic Biodiversity. *Environmental Management*. 30(4): 492-507.
- Butler, P.A. and J.B. Engle. 1950. The 1950 opening of the Bonnet Carre Spilway: Its effect on oysters. *Spec. Scient. Rep't. No. 14*: 1-10. Fish and Wildlife Service.
- Butler, P.A. 1949. An investigation of oyster producing areas in Louisiana and Mississippi damaged by flood waters of 1945. U.S. Dept. Interior, U.S. Fish and Wildlife Service, Fisheries Report No. 8. 29pp.
- Butler, P.A. 1952. Effect of floodwaters on oysters in Mississippi Sound in 1950. *Res. Rep. No. 31*. Fish and Wildlife Service: 1-20.
- Butler, P.A. 1949. Gametogenesis in the oyster under conditions of depressed salinity. *The Biological Bulletin*. 96(3): 263-269.

- Butler, P.A. 1954. The southern oyster drill. *Proceedings of the National Shellfish Association* 44:67-75.
- Buzan, D., W. Lee, J. Culbertson, N. Kuhn and L. Robinson. 2008. Positive relationship between freshwater inflow and oyster abundance in Galveston Bay, Texas. *Estuaries and Coasts*.
- Caffrey, J. and J. Day. 1986. Variability of nutrient and suspended sediments in Fourleague Bay, Louisiana, and the role of physical factors. *Estuaries*. 9: 295-300.
- Caffery, R.H. and M. Schexnayder. 2002. Fisheries Implications of freshwater reintroduction, Interpretive topic series on coastal wetland restoration in Louisiana, Coastal wetland planning, protection, and restoration Act eds. National Sea Grant Library No. LSU G-2-003, 8pp.
- Caffery, R.H., M. Schexnayder. 2002. Reconciling Fisheries Management and Wetland Restoration in Coastal Louisiana. *Converging Currents: Science, Culture, and Policy at the Coast. Proceedings of the 18th International Conference of the Coastal Society, Galveston, TX. USA.* pp. 218-227.
- Caffey, R.H. and M. Schexnayder. 2002. Floods, Fisheries, and River Diversions in Coastal Louisiana. *Coastal Water Resources (Proceedings of the American Water Resources Association)*: 301-306.
- Caffey, R.H., M. Schexnayder and Louisiana Sea Grant. Fisheries implications of freshwater reintroductions.
- Caffey, R.H., P. Coreil and Louisiana Sea Grant. Mississippi River water quality: implications for coastal restoration.
- Carloss, M., H.W. Finley. 2009. River Diversions: Effects on Habitat, Wildlife, and Estuarine Fisheries. LDNR Diversions Summit. Powerpoint Presentation.
- Center for Bioenvironmental Research and Louisiana Aquatic Invasive Species Task Force. 2005. State Management Plan for Aquatic Invasive Species in Louisiana. 160 pp.
- Chabreck, R.H. and J.A. Nyman. 1989. The effects of weirs on plants and wildlife in the coastal marshes of Louisiana. pages 142-150 In W.G. Duffy and D. Clark (eds.). *Marsh management in coastal Louisiana: effects and issues--proceedings of a symposium.* U.S. Fish and Wildlife Service and Louisiana Department of Natural Resources. U.S. Fish and Wildlife Service Biol. Rep. 89(22): 378 pp.
- Chao, X., Y. Jia, and A.K.M. Azad Hossain. 2010. Environmental Impact of Flow, Sediment and Salinity on Ecosystem of Lake Pontchartrain due to flood release from Bonnet Carré Spillway. Paper presented at the 2010 International Symposium on Ecohydraulics in Seoul, Korea. 8pp.
- Chatry, M. and M.J. Millard. 1986. Effects of 1983 Floodwaters on Oysters in Lake Borgne, the Louisiana Marsh, Western Mississippi Sound and Chandeleur Sound. Louisiana Department of Wildlife and Fisheries Technical Bulletin No. 40:1-13.
- Chatry, M.D. Chew. 1985. Freshwater diversion in coastal Louisiana: recommendations for development of management criteria. In: Fourth Coastal Marsh Estuary Management Symposium. pp. 71-84.
- Chatry, M., R.J. Dugas and K.A. Easley. 1983. Optimum salinity regime for oyster production on Louisiana's state seed grounds. *Contributions in Marine Science*. 26: 81-94.
- Chatry, M., D. Chew. 1985. Freshwater diversion in coastal Louisiana: recommendations for development of management criteria. 4th Coastal Marsh and Estuary Mgt. Symposium. 71-84.
- Childers, D., J. Day and R. Muller. 1990. Relating climatological forcing to coastal water levels in Louisiana estuaries and the potential importance of El Nino-Southern oscillation events. *Climate Research*. 1: 31-42.
- Christensen, J.D., M.E. Monaco, T.A. Lowery. 1997. An index to assess the sensitivity of Gulf of Mexico species to changes in estuarine salinity regimes. *Gulf Research Reports* 9(4):219-229.
- Chu F.E. and La Peyre J.F., C.S. Bureson. 1993. Perkinsus marinus infection and potential defense-related activities in eastern oysters, (*Crassostrea virginica*), salinity effects. *Journal of Invertebrate Pathology*. 62: 226-232.
- Chu, F.E. and A.K. Voley. 1997. Disease processes of the parasite Perkinsus marinus in eastern oyster *Crassostrea virginica*: minimum dose for infection initiation, and interaction of temperature, salinity and infective cell dose. *Diseases of Aquatic Animals* 28: 61-68.
- Cloern, J.E. 2007. Habitat Connectivity and Ecosystem Productivity: Implications from a Simple Model. *The American Naturalist*. 169(1): 13 pp.
- Cosse, C. 1999. Caernarvon Subcommittee on Marsh Enhancement and Fisheries Sampling Data, October 21, 1999, US Army Corps of Engineers, New Orleans, La.
- CPRA. 2010. Davis Pond Freshwater Diversion Project. Draft Annual Report. 23 pp.
- CPRA. 2010. Caernarvon Freshwater Diversion Project. Draft Annual Report. 33 pp.

- Czubakowski, J. 2010. Estuarine Phytoplankton Response to Annual and Manipulated River Inputs. Master's Thesis, Louisiana State University. 67 pp.
- Dagg, M.J., T.S. Bianchi, G.A. Breed, W.J. Cai, S. Duan, and H. Liu. 2005. Biogeochemical Characteristics of the Lower Mississippi River, USA During June 2003. *Estuaries*. 28(5): 664-674.
- Darnell, R.M. 1962. Ecological History of Lake Pontchartrain, an Estuarine Community. *American Midland Naturalist*. 68(2): 434-444.
- Darnell, R.M. 1961. Trophic spectrum of an estuarine community, based on studies of Lake Pontchartrain, Louisiana. *Ecology*. 42(3): 553-568
- Day, J. 1968. A Tidal Rhythm in the Susceptibility of *Fundulus Similis* to Sodium Chloride and Endrin. *Proceedings of the Louisiana Academy of Sciences*. 30: 62-64.
- Day, J.W., J.E. Cable, J.H. Cowan, Jr., R. DeLaune, K. De Mutsert, B. Fry, H. Mashriqui, D. Justic, P. Kemp, R.R. Lane, J. Rick, S. Rick, L.P. Rozas, G. Snedden, E. Swenson, R.R. Twilley, and B. Wissel. 2009. The impacts of pulsed reintroduction of river water on a Mississippi Delta Coastal Basin. *Journal of Coastal Research*. (SI54): 225-243.
- Day, J.W., J. Ko, J. Cable, J.N. Day, B. Fry, and E. Hyfield. 2003. Pulses: The Importance of Pulsed Physical Events for Louisiana Floodplains and Watershed Management. First Interagency Conference on Research in the Watersheds, eds. K. G. Renard, S. A. McElroy, W. J. Gburek, H. E. Canfield, and R. L. Scotted. Economics, U.S. Department of Agriculture, Agricultural Research Service.
- Day, J.W., W. Smith, W. Stowe and P. Wagner. 1973. Community structure and carbon budget of a salt marsh and shallow bay estuarine system in Louisiana. Center for Wetland Resources, Louisiana State University. Baton Rouge. Publ. No. LSU-SG-72-04.
- Day, J.W. Jr. and W.H. Conner, eds. 1987. The ecology of Barataria Basin, Louisiana: an estuarine profile. National Wetlands Research Center, U.S. Fish Wildl. Serv. Biological Report 85(7.13). 165 pp.
- de Mutsert, K. 2010. The effects of a freshwater diversion on nekton species biomass distributions, food web pathways, and community structure in a Louisiana Estuary. Ph.D. Dissertation, Louisiana State University. 199 pp.
- Dortch, Q., T. Peterson and R.E. Turner. 1998. Algal bloom resulting from the opening of the Bonnet Carre´ Spillway in 1997. In: Basics of the Basin Research Symposium, May 12-13, University of New Orleans, Louisiana.
- Drinkwater, K.F. and K.T. Frank. 1994. Effects of river regulation and diversion on marine fish and invertebrates. *Aquatic Conservation: Freshwater and Marine Ecosystems*. 4: 1350151.
- Dugas, R.J. and W.S. Perret. 1975. The effects of spring floodwaters on oyster populations in Louisiana. *Proceedings of the 29th Annual Conference of the Southeastern Association of the Game and Fish Commission* pp. 208-214.
- Edgar, G.J., C.R. Samson, and N.S. Barrett. 2005. Species Extinction in the Marine Environment: Tasmania as a Regional Example of Overlooked Losses in Biodiversity. *Conservation Biology*. 19(4): 1294-1300.
- Engel, M.A. 2003. Physiochemical effects on the abundance and distribution of larval fishes in the atchafalaya River Basin, Louisiana. Master's Thesis, Louisiana State University, Baton Rouge. 133 pp.
- Feyrer, F., T. Sommer, and W. Harrell. 2006. Importance of Flood Dynamics versus Intrinsic Physical Habitat in Structuring Fish Communities: Evidence from Two Adjacent Engineered Floodplains on the Sacramento River, California. *North American Journal of Fisheries Management*. 26: 408-417.
- Fisher, W.S. and J.T. Winstead. 2005. Influence of altered freshwater flows on eastern oysters. *Journal of Shellfish Research*. 24(2): 654.
- Font, W.F. 2009. Mitigating the spread of zebra mussels into wetlands from Mississippi River diversions. Lake Pontchartrain Basin Foundation Research Program.
- Fontenot, J. 2006. Seasonal Abundance, GSI, and Age Structure of Gizzard Shad (*Dorosoma cepedianum*) in the Upper Barataria Estuary. Master's Thesis. Nicholls State University. 78 pp.
- Ford, S.E. 1985 Effects of salinity on survival of the MSX parasite *Haplosporidium nelsoni* (Haskin, Stauber, and Mackin) in oysters. *Journal of Shellfish Research*. 5(2):85-90
- Fruge, D.W. and R. Ruelle. 1980. Mississippi and Louisiana estuarine areas study: A planning-aid report submitted to the U.S. Army Corps of Engineers. USFWS, Lafayette, LA
- Gammelsrod, T. 1992. Variation in shrimp abundance on the Sofala Bank, Mozambique, and its relation to the Zambezi River runoff. *Estuarine, Coastal and Shelf Science*. 35: 91-103.
- Gardner, L.M. 2008. Denitrification enzyme activity as an indicator of nitrate loading in a wetland receiving diverted Mississippi River water. Master's Thesis, Louisiana State University. 119 pp.

- Gauthier, J.D., T.M. Soniat, and J.S. Rogers. 2007. A parasitological survey of oysters along salinity gradients in coastal Louisiana. *Journal of the World Aquaculture Society* 21(2): 105-115.
- Geaghan, J. 1995. Caernarvon Project Analysis Report Series. Louisiana State University Report for the Louisiana Department of Natural Resources.
- GEC. 2009. Biological and recreational monitoring of the impacts of the 2008 Bonnet Carré Spillway opening, St. Charles Parish, Louisiana. Report to USACE, Contract No. W912P8-07-D-0008, Delivery Order No. 0021, New Orleans.
- GEC/Steimle and Associates. 1998. Biological and Recreational Monitoring of the Impacts of the 1997 Opening of the Bonnet Carré Spillway Southeastern Louisiana. Final Report to the USACE Contract No. DACW29-96-D0009.
- Gillanders B.M. and M.J. Kingsford. 2002. Impact of changes in flow of freshwater on estuarine and open coastal habitats and the associated organisms. *Oceanography and Marine Biology Annual Review*. 40: 233-309.
- Glas, P.S. and B.A. Thompson. 1994. Potential transfer of *Dreissena* into Lake Pontchartrain via Bonne Carre Spillway. *American Zoologist*. 34(5): 96A.
- Gordon, D.C. and R.D. Davinroy. 2000. Sedimentation Study of the Mississippi River Schenimann Chute Mississippi River Mills 63 to 57, Hydraulic Micro Model Investigation. Volume 1: Final Technical Report. USACE Publication #A049873, St Louis District; Gordon , D.C., Devinroy, R.D. pp 38.
- Gowanloch, J.N. 1950. Fisheries effects on Bonnet Carre Spillway opening. *Louisiana Conservation Review*. 2: 12-13,24-25.
- Grimaldo, L.F., T. Sommer, N. Van Ark, G. Jones, E. Holland, P.B. Moyle, B. Herbold, P. Smith. 2009. Factors Affecting Fish Entrainment into Massive Water Diversions in a Tidal Freshwater Estuary: Can Fish Losses be Managed? *North American Journal of Fisheries Management*. 29: 1253-1270
- Guillory, V. 1999. Relationship of Blue Crab Commercial Landings and Recruitment to River Discharge and Salinity. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies*. 53: 1-7.
- Guillory, V. 2000. Relationship of Blue Crab Abundance to River Discharge and Salinity. *Proceedings of the Annual Conference of the Southeastern Association of Fish and Wildlife Agencies*. 54: 213-220.
- Gunter, G. 1961. Some relations of estuarine organisms to salinity. *Limnological Oceanography* 6: 182-190.
- Gunter, G. 1952. Historical changes in the Mississippi River and the adjacent marine environment. *Publications of the Institute of Marine Science*. 2(2): 119-138.
- Gunter, G. 1953. The relationship of the Bonnet Carre Spilway to oyster beds in Mississippi Sound and the Louisiana Marsh with a report on the 1950 opening and a study of beds in the vicinity of the Bohemia Spilway and Baptiste Collette Gap. *Mim. Rept.*, pp1-60. New Orleans District, U. S. Army Corps of Engineers.
- Gunter, G., J.Y. Christmas, and R. Killebrew. 1964. Some relations of salinity to population distributions of motile estuarine organisms, with special reference to penaeid shrimp. *Ecology*. 45(1): 181-185.
- Gunter, G., B.S. Ballard, and A. Venkataramiah. 1974. A review of salinity problems of organisms in United States coastal areas subject to the effects of engineering works. *Gulf Res. Rep.* 4:380-475.
- Habib, E., W. Nuttle, V. Rivera-Monroy, S. Gautam, J. Wang, and E. Meselhe, E. 2007. Assessing Effects of Data Limitations on Salinity Forecasting in Barataria Basin, Louisiana, with a Bayesian Analysis. *Journal of Coastal Research*. Spring 2007. pp. 749-763.
- Harter, S.K. and W.J. Mitsch. 2003. Patterns of Short-Term Sedimentation in a Freshwater Created Marsh. *Journal of Environmental Quality* 32, No. 1: 325-34.
- Hartman, R. 2004. Many fisheries improve with diversions. *Louisiana Sportsman*. Louisiana Sportsman September 24, 2004.
- Haskin H.H. and S.E. Ford 1982. *Haplosporidium nelsoni* (MSX) on Delaware Bay seed oyster beds: a host-parasite relationship along a salinity gradient. *Journal of Invertebrate Pathology*. 40(3): 388-405.
- Jenkins, J.A., E.B. Bourgeois, and C.W. Jeske. 2008. Davis Pond freshwater prediversion biomonitoring study-freshwater fisheries and eagles. US Geological Survey Scientific Investigations Report 2008-5067, 102p.
- Junk, W.J., P.B. Bayley, and R.E. Sparks. 1989. The flood pulse concept in river-floodplain systems. *Canadian Journal of Fisheries and Aquatic Sciences Special Publication*. 106: 111-127.

- Killgore, J., J.J. Hoover, S.G. George, K.A. Boysen, B.R. Lewis, P.P. Kirk, J.A. Collins, T. Ruth, R.E. Boe, and C.G. Brantley. Rescue of Pallid Sturgeon Entrained During Operation of the Bonnet Carre Spillway. 2009. Program and Abstracts of the 35th Annual Meeting of the Mississippi Chapter of the American Fisheries Society. IP Casino and Resort, Biloxi, Mississippi, February 11-13, 2009.
- Kimmerer, W.J. 2002. Physical, biological and management responses to variable freshwater flow into the San Francisco Estuary. *Estuaries*. 25: 1275-1290.
- Kirk, J.P. K.J. Killgore, and J.J. Hoover. 2008. Evaluation of Potential Impacts of the Lake Maurepas Diversion Project to Gulf and Pallid Sturgeon. Environmental Laboratory U.S. Army Engineer Research and Development Center. ERDC/EL TR-08-19. 23 pp.
- Kobashi, D. 2009. Bottom boundary layer physics and sediment transport along a transgressive sand body, ship shoal, south-central Louisiana: implications for fluvial sediments and winter storms. Ph.D. dissertation, Louisiana State University. 155 pp.
- La Peyre, M.K., A.D. Nickens, A.K. Volety, G.S. Tolley and J.F. La Petre. 2003. Environmental Significance of Freshets in Reducing Perkinsus marinus Infection in Eastern Oysters Crassostrea virginica: Potential Management Applications. *Marine Ecology*. 248: 165-176.
- La Peyre, M.K., B. Gossman and J.F. La Peyre. 2009. Defining optimal freshwater flow for oyster production: effects of freshet rate and magnitude of change and duration on eastern oysters and Perkinsus marinus infection. *Estuaries and Coasts*. 32:522-534.
- Lane, R.R., J.W. Day, B. Marx, E. Reyes and P. Kemp. 2002. Seasonal and Spatial Water Quality Changes in the Outflow Plume of the Atchafalaya River, Louisiana, USA. *Estuaries*. 25(1): 30-42.
- Lane, R.R., J.W. Day and B. Thibodeaux. 1999. Water Quality Analysis of a Freshwater Diversion at Caernarvon, Louisiana. *Estuaries*. 22(2A): 327-36.
- Lane, R.R., J.W. Day, D. Justic, E. Reyes, B. Marx, J.N. Day and E. Hyfield. 2004. Changes in Stoichiometric Si, N and P Ratios of Mississippi River Water Diverted Through Coastal Wetlands to the Gulf of Mexico. *Estuarine Coastal and Shelf Science*. 60(1): 1-10.
- Lane, R.R., J.W. Day, G.P. Kemp and D.K. Demcheck. 2001. The 1994 Experimental Opening of the Bonnet Carre Spillway to Divert Mississippi River Water into Lake Pontchartrain, Louisiana. *Ecological Engineering*. 17(4): 411-22.
- Lane, R.R., H.S. Mashriqui, G.P. Kemp, J.W. Day, J.N. Day and A. Hamilton. 2003. Potential Nitrate Removal From a River Diversion Into a Mississippi Delta Forested Wetland. *Ecological Engineering*. 20(3): 237-49.
- Lane, R.R., J.W. Day Jr., B.D. Marx, E. Reyes, E. Hyfield and J.N. Day. 2007. The effects of riverine discharge on temperature, salinity, suspended sediment and chlorophyll a in a Mississippi delta estuary measured using a flow-through system. *Estuarine, Coastal and Shelf Science* 74(1-2): 145-154.
- LDNR. 2006. Caernarvon Freshwater Diversion Project Annual Report 2005 Draft.
- LDNR. 2005. Davis Pond Freshwater Diversion Project, Draft Annual Report 2003-2004. Louisiana Department of Natural Resources. Coastal Restoration Division. Baton Rouge, Louisiana. 49 pp.
- LDNR. 2002. Caernarvon Freshwater Diversion Project. Annual Report. Louisiana Department of Natural Resources. Coastal Restoration Division, Baton Rouge, Louisiana. 30 pp.
- LDNR. 2005. Davis Pond Freshwater Diversion Project, Annual Report 2003-2004. Louisiana Department of Natural Resources. 51 pp.
- LDNR. 2003. Caernarvon Freshwater Diversion Project Annual Report 2003. Louisiana Department of Natural Resources. 41 pp.
- LDWF. 2002. Field Procedures Manual, Version No. 02-1. Marine Fisheries Division, Louisiana Department of Wildlife and Fisheries, Baton Rouge, LA. 47 p.
- LDWF. 2010. State Opens Additional Freshwater Diversion Canal at Bayou Lamoque in Plaquemines Parish. <http://www.wlf.louisiana.gov/news/30675>
- Light, T. and M.P. Marchetti. 2007. Distinguishing between Invasions and Habitat Changes as Drivers of Diversity Loss among California's Freshwater Fishes. *Conservation Biology*. 21(2): 434-446.
- Light, T. 2003. Success and failure in a lotic crayfish invasion: the roles of hydrologic variability and habitat alteration. *Freshwater Biology*. 48(10): 1886-1897.
- Livingston R.J., F.G. Lewis, G.C. Woodsum, X.F. Niu et al. 2000. Modeling oyster population response to variation in freshwater input. *Estuarine Coastal and Shelf Science*. 50: 655-672.
- Loneragan N.R. E. Bunn. 1999. River flows and estuarine ecosystems: implications for coastal fisheries from a review and a case study of the Logan River, southeast Queensland. *Australian Journal of Ecology*. 24: 431-440.

- Longley, W.L. (ed.). 1994. Freshwater inflows to Texas bays and estuaries: ecological relationships and methods for determination of needs. Texas Water Development Board and Texas Parks and Wildlife Department, Austin, TX. 386 pp.
- Loosanoff, V.L. 1953. Behavior of oysters in water of low salinities. *Proceedings of the National Shellfish Association*. 43: 135-151.
- Lopez, J. 2009. Overcoming Challenges of Diversions. *Diversions: Not "Whether?", But "How?" Supplement to Presentation at Diversion Summit*. New Orleans, Louisiana. p. 17-22.
- Lopez, J.A. 2006. *The Multiple Lines of Defense Strategy to Sustain Coastal Louisiana*. Lake Pontchartrain Basin Foundation, Louisiana. 21 pp.
- Lake Pontchartrain Basin Foundation. 2006. *A Post-Katrina Assessment of the Freshwater Diversion to Lake Pontchartrain Basin and Mississippi Sound*. Lake Pontchartrain Basin Foundation. Metairie, Louisiana. 5 pp.
- Madden, C, J. Day and J. Randall. 1988. Freshwater and marine coupling in estuaries of the Mississippi deltaic plain. *Limnology and Oceanography*. 33(4, 2): 982-1004.
- Manheim, F.T., and L.Hayes. 2002. Sediment database and geochemical assessment of Lake Pontchartrain Basin, chap. J of Manheim, F.T., and Hayes, Laura (eds.), *Lake Pontchartrain Basin: Bottom sediments and related environmental resources: U.S. Geological Survey Professional Paper 1634*.
- Manheim, F.T. and L. Hayes (eds.). 2002. *Lake Pontchartrain Basin: Bottom Sediments and Related Environmental Resources U.S. Geological Survey Professional Paper 1634*.
- May, E.B. 1972. The effect of floodwater on oysters in Mobile Bay. *Proceedings of the National Shellfisheries Association*. 62:67-71.
- McCorqupdale, A., H. Mashriqui, D.J. Reed et al. 2004. Effects of river diversion projects using a pulsed scenario of proposed alternatives based on both simulation and box modeling approaches. Chapter 18. In: R.R Twilley (ed.) *Coastal Louisiana Ecosystem Assessment and Restoration (CLEAR) Model of Louisiana Coastal Areas (LCA) Comprehensive Ecosystem Restoration Plan*. Vol. II: Tasks 9-15. Final Report to DNR, Baton Rouge, LA.
- Meffert, D.J. and B. Good, 1996. Case study of the ecosystem management development in the Brenton Sound Estuary, Louisiana. *Proc Hillsborough Community College Annual Conf on Ecosystems Restoration and Creation*. 14 pp
- Melancon, E., C. Addison and R. Duke. 2005. Understanding how oyster metapopulations respond to salinity in the Barataria Estuary. Poster. National Shellfisheries Association Meeting.
- Melancon, E., T.M. Soniat and R.J. Dugas. 1997. Environmental issues facing Louisiana's oyster industry in the 1990s. *Journal of Shellfish Research*. 16(1): 315-16.
- Mendelssohn, I.A. and D. Batzer. 2006. Abiotic constraints for wetland plants and animals, pp.82-114. In: *Ecology of Freshwater and Estuarine Wetlands*. D.P. Batzer and R.R. Sharitz, eds. University of California Press, Berkley, CA.
- Mize, S.V. and D.K. Demcheck. 2009. Water quality and phytoplankton communities in Lake Pontchartrain during and after the Bonnet Carre' Spillway opening, April to October 2008, in Louisiana, USA. *Geo-Marine letters*. 29: 431-440.
- Montagna, P.A., R.D. Kalke, and C. Ritter. 2002. Effect of restored freshwater inflow on macrofauna and meiofauna in upper Rincon Bayou, Texas. *Estuaries*. 25:1436-1447.
- Montagna, P.A. and R.D. Kalke. 1992. The effect of freshwater inflow on meiofaunal and macrofaunal populations in the Guadalupe and Nueces estuaries, Texas. *Estuaries*. 15:307-326.
- Nobriga, M.L., F. Feyrer, R.D. Baxter, and M. Chotkowski. 2005. Fish Community Ecology in an Altered River Delta: Spatial Patterns in Species Composition, Life History Strategies, and Biomass. *Estuaries*. 28(5): 776-785.
- Nyman, J.A. and R.H. Chabreck. 1995. Fire in coastal marshes: history and recent concerns. Pages 134-141 In" Susan I. Cerulean and R. Todd Engstrom eds. *Fire in wetlands: a management perspective*. Proc Tall Timbers Fire Ecology Conf, No 19. Tall Timbers Research Station, Tallahassee, FL.
- O'Farrell, C., J.F. La Peyre, K.T. Paynter and E.M. Burreson. 2000. Osmotic tolerance and volume regulation in vitro cultures of the oyster pathogen *Perkinsus marinus*. *Journal of Shellfish Research*. 19: 139-145.
- O'Connell, M.T., R.C. Cashner, and C.S. Schieble. 2004. Fish assemblage stability over fifty years in the Lake Pontchartrain Estuary; Comparisons among habitats using Canonical Correspondence Analysis. *Estuaries*. 27(5): 807-817.
- O'Connell, M.T. with R.C. Cashner and G.N. Fuentes. 2002. Application of a diffusion model to describe a recent invasion; observations and insights concerning early stages of expansion for the introduced Rio Grande cichlid, *Cichlasoma cyanoguttatum*, in southeastern Louisiana. *Aquatic Invaders* 13 (4): 13, 16-21.

- Olden, J.D., N.L. Poff, and K.R. Bestgen. 2006. Life-history strategies predict fish invasions and extirpations in the Colorado River Basin. *Ecological Monographs*. 76: 25-40.
- Olsen, S.B., T.V. Padma, and B.D. Richter. 2006. *Managing Freshwater Inflows to Estuaries: A Methods Guide*. U.S. Agency for International Development. 44 pp.
- Owen, H.M and L.L. Walters. 1950. What spillway really did. *Louisiana Conservation Review*. 2: 16-19, 26-27.
- Peebles E.B. and M.S. Flannery. 1992. Fish nursery use of the Little Manatee River estuary (Florida): relationships with freshwater discharge. Final Report for Southwest Florida Water Management District, Tampa Bay Estuary Program, St. Petersburg, FL.
- Perret, W.S., J. Warren, M. Buchanan and L. Engel. 1998. Monitoring and Assessment of the 1997 Bonnet Carre' Spillway Opening In Mississippi Sound, MS. Completion Report. Mississippi Department of Marine Resources. Biloxi, MS. 50 pp.
- Peterson, M.S. 2003. A Conceptual View of Environment-Habitat-Production Linkages in Tidal River Estuaries. *Reviews in Fisheries Science*. 11(4): 291-313.
- Piazza, B. and M La Peyre. 2010. Using *Gambusia affinis* growth and condition to assess estuarine habitat quality: a comparison of indices. *Marine Ecology Progress Series* 412: 231-245.
- Piazza, B.P. and M.K. LaPeyre. 2010. Nekton community response to a large-scale Mississippi River discharge: Examining spatial and temporal response to river management. *Estuarine, Coastal and Shelf Science*. In Press.
- Piazza, B.P. 2009. The role of climate variability in the community dynamics of estuarine nekton. Louisiana State University, Baton Rouge, LA. Ph.D. Dissertation. 157 pp.
- Piazza, B.P. and M.K. La Peyre. 2005. Pulsed Freshwater effects on nekton communities in Breton Sound, Louisiana, USA. *Proc 14th Biennial Coastal Zone Conf*. 5 pp.
- Piazza, B.P. and M.K. LaPeyre. 2007. Restoration of the annual flood pulse in Breton Sound, Louisiana, USA: habitat change and nekton community response. *Aquatic Biology*. 1: 109-119.
- Poff, N.L., J.D. Olden, D.M. Merritt and D.M. Pepin. 2007. Homogenization of regional river dynamics by dams and global biodiversity implications. *Proceedings of the National Academy of Sciences*. 104: 5732-5737.
- Poirrier, M.A. and J.M. King. 1998. Observations on Lake Pontchartrain Blue-green Algal Blooms and Fish Kills. 1998 Basics of the Basin Symposium.
- Powell, E.N., J.M. Klinck, E.E. Hofmann, and M.A. Mcmanus. 2003. Influence of water allocation and freshwater inflow on oyster production: A hydrodynamic-oyster population model for Galveston Bay, Texas, USA. *Environmental Management*. 31: 100-121.
- Rabalais, N.N. 1995. Status and Trends of Eutrophication, Pathogen Contamination, and Toxic Substances in the Barataria-Terrebonne Estuarine System. Thibodaux, La: Barataria-Terrebonne National Estuary Program.
- Rabalais, N.N., R.E. Turner and D. Scavia. 2002. Beyond science into policy: Gulf of Mexico hypoxia and the Mississippi River. *Bioscience*. 52: 1291-1242.
- Ragone C. and E.M. Burreson. 1993. Effect of salinity on infection progression and pathogenicity of *Perkinsus marinus* in the eastern oyster, *Crassostrea virginica* (Gmelin). *Journal of Shellfish Research*. 12: 1-7.
- Rahel, F.J. and J.D. Olden. 2008. Assessing the Effects of Climate Change on Aquatic Invasive Species. *Conservation Biology*. 22(3): 521-533.
- Ray, G.L. 2009. Response of Benthic Invertebrate Communities Following the 2008 Bonnet Carre' Spillway Release. Report to the U.S. Army Engineer District, New Orleans.
- Roberts, N. 1998. Carenarvons Impact on Fisheries: A Sportsman's Perspective, pp. 47-50 in *Freshwater Diversion: A Public Forum.*, J. Horst, moderator, Louisiana Sea Grant Marine Advisory Service, Louisiana Cooperative Extension Service, October 1998.
- Rogers, D.R., B.D. Rogers, and W.H. Herke. 1994. Structural Marsh Management Effects on Coastal Fishes and Crustaceans. *Environmental Management*. 18(3): 351-369.
- Rozas, L.P. 1995. Hydroperiod and its influence on nekton use of the salt marsh: a pulsing ecosystem. *Estuaries*. 18: 579-590.
- Rozas, L.P., T.J. Minello, and D.M. Mason. No date. Temperature and survival of juvenile Penaeid shrimps: Implications for the influence of river diversions on production. NOAA Fisheries Service, Poster.
- Rozas, L.P., T.J. Minello, I. Munuera-Fernandez, B.Fry and B. Wissel. 2005. Macrofaunal distributions and habitat change following winter-spring pulsed releases of freshwater into the Breton Sound estuary, Louisiana. *Estuarine and Coastal Shelf Science*. 65: 319-336.

- Rozas, L.P. and T.J. Minello. 2010. Nekton Density Patterns in Tidal Ponds and Adjacent Wetlands Related to Pond Size and Salinity. *Estuaries and Coasts*. 33: 652-667.
- Ruetz III, C.R., J.C. Trexler, F. Jordan, W.F. Loftus, and S.A. Perry. 2005. Population dynamics of wetland fishes: spatio-temporal patterns synchronized by hydrological disturbance?. *Journal of Animal Ecology*: 1-11.
- Shields, F.D. and S.R. Abt. 1989. Sediment Deposition in Cutoff Meander Bends and Implications for Effective Management. *Regulated Rivers Research and Management*. 4(4): 381-96.
- Silliman, B.R., J. van de Koppel, M.D. Bertness, L.E. Stanton and I.A. Mendelssohn. 2005. Drought, snails, and large-scale die-off of southern U.S. salt marshes. *Science*. 310: 1803-1806.
- Sklar, F.H. and J.A. Browder. 1998. Coastal Environmental Impacts Brought About by Alterations to Freshwater Flow in the Gulf of Mexico. *Environmental Management*. 22(4): 547-62.
- Sklar, F.H. and R.E. Turner. 1981. Characteristics of phytoplankton production off Barataria Bay in an area influenced by the Mississippi River. *Contribution in Marine Science*. 24: 93-106.
- Smalley, A.E. 1959. The role of two invertebrate populations, *Littorina irrorata* and *Orchelimum jidicinium* in the energy flow of a salt marsh ecosystem. Ph.D. Thesis, University of Georgia, Athens, 126 pp.
- Soniat, T.M. 1985. Changes in levels of infection of oysters by *Perkinsus marinus*, with special reference to the interaction of temperature and salinity upon parasitism. *Northeast Gulf Science*. 7(2): 171-174.
- Spring, C. 2005. Fisheries Implications of Management Scenarios for the Caernarvon Freshwater Diversion Based on an Ecological Model. *Proceedings of the 14th Biennial Coastal Zone Conference*. 3 pp.
- Stanley, J.G. and M.A. Sellers. 1986. Species profile: Life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico)—American oyster. U.S. Fish and Wildlife Service Biological Report 82(11.64). U.S. Army Corps of Engineers, TR EL-82-4. 25 pp.
- Stewart J. and X. Liu. 2008. Modeling oyster growth rate by coupling oyster population and hydrodynamic models for Apalachicola Bay, Florida, USA. *Ecological Modeling* 211: 77-89.
- Teague, K., J. Day and C. Madden. 1988. Sediment-water oxygen and nutrient fluxes in a river-dominated estuary. *Estuaries*. 11: 1-9.
- Templet, Paul H., Meyer-Arendt and J. Kaus. 1988. Louisiana wetland loss: regional water management Approach to the problem. *Environmental Management*. 12(2): 181-192.
- Thomas, R.G. 1999. Caernarvon Subcommittee on Marsh Enhancement and Fisheries Monitoring, US Army Corps of Engineers, District Assembly Room, October 21, 1999.
- Thomas, R.G. 1999. Fish habitat and coastal restoration in Louisiana. Pages 240-251 In: L. R. Benaka, (ed.). *Fish habitat: essential fish habitat and rehabilitation*. American Fisheries Society, Symposium 22, Bethesda, Maryland.
- Thompson, B.A. and J.H. Stone. 1980. Selected Commercial Fish and Shellfish data from Lake Pontchartrain, Louisiana, During 1963-1975, Some Influencing Factors, and Possible Trends. Chapter 16 In *Environmental Analysis of Lake Pontchartrain, Louisiana, Its Surrounding Wetlands, and Selected Land Uses Volume 2*. J.H. Stone. (ed.). p. 1069-1134.
- Thompson, B.A. and L.A. Deegan. 1983. The Atchafalaya River Delta: A "new" fishery nursery, with recommendations for management. Pp. 217-239. In: F. Webb (ed.), *Proceedings of the Tenth Conference on Wetlands Restoration and Creation*. Hillsborough Community College, Tampa, FL.
- Turner, R.E., J.J. Baustian, E.M. Swenson, and J.S. Spicer. 2006. Wetland sedimentation from Hurricanes Katrina and Rita. *Science* 313: 1713-1715.
- Turner, R.E. 1990. Managing wetlands in coastal Louisiana for plants, waterfowl, fish and other animals. *Bulletin d'Ecologie*. 21(3): 21-24.
- Turner, R.E. 2009. Doubt and the Values of an Ignorance-Based World View for Restoration: Coastal Louisiana Wetlands. *Estuaries and Coasts*. 32: 1054-1068.
- Turner, R.E. and Q. Dortch. 1999. Effects of the 1997 Bonnet Carre Opening on Nutrients and Phytoplankton in Lake Pontchartrain. 1998 Basics of the Basin Abstract. Lake Pontchartrain Basin Foundation, Louisiana.
- Turner, R.E. 2006. Will lowering estuarine salinity increase Gulf of Mexico oyster landings? *Estuaries and Coasts*. 29: 345-352.
- USACE. 2000. Mississippi River Sediment, Nutrient, and Freshwater Redistribution Study. U.S. Army Corps of Engineers. New Orleans, LA.

- USACE. 2006. Mississippi River sediment, nutrient, and freshwater redistribution feasibility study: Environmental resources. USACE New Orleans District.
- USACE. 2000. Mississippi River sediment, nutrient, and freshwater redistribution feasibility study: Benefits and effects to environmental resources. USACE New Orleans District.
- USACE-LDWF. 1992. Caernarvon Preconstruction Report. Caernarvon Freshwater Diversion Structure Monitoring Program. US Army Corps of Engineers. New Orleans District and Louisiana Department of Wildlife and Fisheries.
- USACE. 2008. Environmental Assessment. Mississippi Delta Region, Caernarvon Freshwater Diversion Structure Change in Structure Operation (EA#392). U.S. Army Corps of Engineers, New Orleans District.
- USACE. 2009. Bonnet Carre Spillway Master Plan. USACE, New Orleans, Louisiana.
- USACE. 2009. Biological and Recreational Monitoring of the Impacts of the 2008 Bonnet Carre' Spillway Opening, St. Charles Parish, Louisiana. Final Report. United States Army Corps of Engineers. New Orleans, Louisiana. Contract No. W912P8-070D-0008.
- USACE. 2009. Sensitivity of silver carp to electrical barriers determined, U.S. Army Corps of Engineers, Engineer Research and Development Center (ERDC) Information Bulletin Issue No. 09-09 May 8, 2009.
- USACE. 2008. Individual Environmental Report #11 Improved Protection on the Inner Harbor Navigation Canal Orleans and St Bernard Parishes, Louisiana. Draft Report. United States Army Corps of Engineers. New Orleans, Louisiana. pp. 159.
- USACE. 2010. Biological Assessment for LCA - Medium Diversion at White Ditch, Appendix A-1, Biological Assessment, U.S. Fish and Wildlife Service, Louisiana Coastal Area (LCA) Ecosystem Restoration Study, Volume VI of VI, Final Integrated Feasibility Study and Supplemental Environmental Impact Statement for the Medium Diversion at White Ditch, Plaquemines Parish Louisiana, September 2010.
- USACE. 1982. Louisiana Coastal Area, LA: Feasibility Report on Freshwater Diversion to Barataria and Breton Sound Basins. USACE New Orleans D.
- USACE-LDWF. 1998. Caernarvon Post Construction Report. Caernarvon Freshwater Diversion Structure Monitoring Program. US Army Corps of Engineers. New Orleans District and Louisiana Department of Wildlife and Fisheries.
- USACE. 1998. Biological and Recreational Monitoring of the Impacts of the 1997 Opening of the Bonnet Carre' Spilway, Southeastern Louisiana. Final Report. United States Army Corps of Engineers. New Orleans, Louisiana. Contract No. DACW29-96-D-0009.
- USDA. 1996. Final Project Plan and Environmental Assessment for Brady Canal Hydrologic Restoration (PTE-26b). United States Department of Agriculture. Natural Resources Conservation Service.
- USFWS. 2008. Delta and Breton National Wildlife Refuge Comprehensive Conservation Plan. US Dept. of the Interior, Southeast Region. Atlanta, Georgia. 140 pp.
- USGS. 2011. USGS Nonindigenous Aquatic Species Database <http://nas.er.usgs.gov/>
- USGS. 1996. Selected Water-Data for the Lower Mississippi River, Bonnet Carré Spillway, and Lake Pontchartrain Area, Louisiana, April through June 1994 and 1974-1984. USGS Open File Report 96-652A. Prepared in cooperation with the USEPA.
- USGS. 2008. Davis Pond Freshwater Prediversion Biomonitoring Study: Freshwater Fisheries and Eagles. Unites States Geological Survey. Reston, Virginia. pp. 102.
- Villarubia, C.R. 1999. Caernarvon Subcommittee on Marsh Enhancement and Fisheries Monitoring, US Army Corps of Engineers, District Assembly Room, October 21, 1999.
- Vlosca, P. Jr. 1928. Flood control in the Mississippi Valley in its relation to Louisiana fisheries. Louisiana Departmetnt of Conservation Technical Paper. 4: 1-16.
- Volety A.K., S.G. Tolley and J.T. Winstead. 2001. Effects of season and water quality on oysters (*Crassostrea virginica*) and associated fish assemblages. 16th Biennial Conference of the Estuarine Research Federation, Book of Abstracts. University of South Florida, Tampa, FL. p 145.
- Wheelock, K.W. 2003. Pulsed river flooding effects on sediment deposition in Breton Sound Estuary, Louisiana. M.S. Thesis. Louisiana State Univ., Baton Rouge, Louisiana, USA.
- Williams A.J.and J.C.Trexler 2006. A preliminary analysis of the correlation of food-web characteristics with hydrology and nutrient gradients in the southern Everglades. *Hydrobiologia* 569:493-504.
- Wissel, B., A. Gace and B. Fry. 2005. Tracing River Influences on Phytoplankton Dynamics in Two Louisiana Estuaries. *Ecology*. 86(10): 2751-2762.

## Complete Reference

Wissel, B. and B. Fry. 2005. Tracing Mississippi River Influences in Estuarine Food Webs of Coastal Louisiana. *Oecologia*. 144: 659-672.

Woodward-Clyde. 1992. Marsh Creation, Big Island Mining, Atchafalaya Basin, Atchafalaya Delta (XAT-7). 20 pp.