ADDENDUM 1 TO BID DOCUMENTS FOR THE

RABBIT ISLAND RESTORATION
SHORELINE PROTECTION PROJECT
(CS-0080)

CAMERON PARISH, LOUISIANA

STATE OF LOUISIANA
ZACHARY J. ROMAINE
License No. 45158
7/12/23
PROFESSIONAL ENGINEER

STATE OF LOUISIANA
COASTAL PROTECTION AND RESTORATION AUTHORITY

July 12, 2023

ADDENDUM 1 TO BID DOCUMENTS
RABBIT ISLAND RESTORATION
SHORELINE PROTECTION PROJECT
(CS-0080)

The interpretations, corrections, or changes in this addendum supersede the requirements in the Bid Documents dated May 2023 and stamped and sealed by the Engineer of Record on May 23, 2023.

Bidders shall acknowledge receipt of all addenda in the Louisiana Public Work Bid Form.

I. Pre-Bid Meeting:

See Attachment A for a copy of the Pre-Bid Meeting Sign-in Sheets.

II. Pre-Bid Meeting:

See Attachment B for a copy of the Pre-Bid Meeting PowerPoint presentation.

III. Davis Bacon Act:

See Attachment C for a copy of the latest Davis Bacon Wage Rate Determinations.

IV. Questions and Responses:

1. What is the Engineer's Estimate of Probable Construction Cost for this project?
   The Engineer's Estimate of Probable Construction Cost for the Rabbit Island Restoration Shoreline Protection Project (CS-0080) is $1,004,638.00.

2. Will spudding be allowed during installation of the gabion baskets?

   Spudding will be allowed during installation of the gabion baskets.

3. Will jetting be an allowed installation method for the installation of piles associated with the permanent warning signs?
   Jetting will not be allowed.

4. The estimated quantities for the required 4" x 8" stone are:

   534 CY for the Base Bid, 138 CY for Alternate 1, and 138 CY for Alternate 2. These quantities are provided for estimating purposes only.

ATTACHMENT A

Project Name:	**Rabbit Island Restoration Shoreline Protection Project (CS-0080)**
Date:	**July 10, 2023**
Time:	**2pm**
Location:	**635 Cajundome Blvd, Abdalla Hall Conference Room A (Rm 101) Lafayette, LA 70506**

PRE_BID CONFERENCE ATTENDANCE RECORD

	Name (Print)	Name (Signature)	Company Name	Company Address	Phone/Email	Affiliation (circle one)
1	MIKE NITSKA		HYDROTERRA TECHNOLOGIES	212 JACOBS RUN SCOTT LA	337-315-2190 MIKE.NITSKA@ HYDROTERRATEC.com	Prime/Sub
2	Nick LeBlanc		Danos	3878 W Main St, Gray, LA 70359	985-209-4429	Prime/Sub
3	WAYNE HEBERT		DLS, LLC	251 TERMINAL LANE FRANKLIN, LA 70538	337-524-7445 337-354-5503	Prime/Sub
4	Paul Moses		CEI	1260 Main Street BR, LA 70808	(225) 383-7455	Prime/Sub
5	Zachary Romaine		Royal	1231 Camellia Blvd Lafayette, LA 70508	337-456-5351 zromaine@royalengineering.net	Prime/Sub
6	Levi LeBourgeois		Royal	1231 CAMELLIA BLVD Lafayette LA 70508	337-456-5351 llebourgeois@royalengineering.net	Prime/Sub
7	Jody White		CPRA	635 Cajundome Blvd Lafayette, LA 70506	337-482-0664 jody.white@la.gov	Prime/Sub
8	JON WIEBE		LDWF	200 DULLES LAFAYETTE, LA	337.207-4121 jwiebe@wlf.la.gov	Prime/Sub

Project Name: Rabbit Island Restoration Shoreline Protection Project (CS-0080)
Date: July 10, 2023
Time: 2pm
Location: 635 Cajundome Blvd, Abdalla Hall Conference Room A (Rm 101) Lafayette, LA 70506

PRE_BID CONFERENCE ATTENDANCE RECORD

	Name (Print)	Name (Signature)	Company Name	Company Address	Phone/Email	Affiliation (circle one)
9	NATHAN DONDIS		B+J, Inc	PO Box 967 Lake Arthur, LA 70549	337-540-8313 NATHANDONDIS@BJMARINESERVICES.COM	Prime/Sub
#	Jamie Gaynard		Orion	4440 Hwy 225 Deerpark TX.	337-412-8628 jgaynard@orionmarinegroup.com	Prime/Sub
#	Casey Stavinoha		Orion	4440 Hwy 225 Deer Park TX	504-559-0264 cstavinoha@orm.net	Prime/Sub
#	Kim Dailey	KDailey	SURVEY EQUIP. SVS	1775 Westborough Katy TX 77449	225-200-0001 Kim@ses-services.com	~~Prime/Sub~~ Rental Co.
#	Hunter Senette		Southern Construction	6313 Hwy 90 E New Iberia LA 70563	337-339-7749 estimating@southernconstructionllc.com	Prime/Sub
#	JACQUES BOUDREAUX		CPRA	635 CAJUNDOME BLVD. LAFAYETTE, LA 70506	(337) 482-0681 / JACQUES.BOUDREAUX@LA.GOV	Prime/Sub
#	Glenn Belen		Louisiana Marine Constructors	5734 W. Kaylegh Lane LC, LA. 70605	glenn@louisiana-marine.com	Prime/Sub
#	Brennon Bourgeois	Brennon B.	Royal		bbourgeois@royalengineering.net (337) 224-4006	Prime/Sub

Project Name:	**Rabbit Island Restoration Shoreline Protection Project (CS-0080)**
Date:	**July 10, 2023**
Time:	**2pm**
Location:	**635 Cajundome Blvd, Abdalla Hall Conference Room A (Rm 101) Lafayette, LA 70506**

PRE_BID CONFERENCE ATTENDANCE RECORD

	Name (Print)	Name (Signature)	Company Name	Company Address	Phone/Email	Affiliation (circle one)
#	Perry Autin		MBT	2018 Engineers Rd Belle Chasse LA	504-458-0157 Perry@MarshBuggies.com	Prime/Sub
#	JERRY CARROLL		CPRA		337-482-0680 jerry.carroll@la.gov	Prime/Sub
#						Prime/Sub
#						Prime/Sub
#						Prime/Sub
#						Prime/Sub
#						Prime/Sub
#						Prime/Sub

ATTACHMENT B

Rabbit Island Restoration
Shoreline Protection
CS-0080

<u>Pre-Bid Conference</u>
July 10, 2023

PLEASE SIGN IN

CPRA Lafayette Regional Office
Abdalla Hall
635 Cajundome Boulevard
Lafayette, LA 70506

committed to **our coast**

- **Introductions**

- **Project Team & Stakeholders**

- CPRA Construction Manager: Jody Roger-White, P.E.

Representing CPRA
- Project Manager: Levi LeBourgeois
- Design Engineer: Zachary Romaine, P.E

- LDWF Program Manager: Jon Wiebe

Project History:

- Rabbit Island is located in West Cove of Calcasieu Lake approximately 4.7 miles northwest of Cameron. It is the only Brown Pelican nesting site in SW Louisiana. The island was selected in the Natural Resource Damage Assessment (NRDA) resulting from the Deepwater Horizon oil spill.

- NRDA funds were used to restore the island by pumping sediment from the Calcasieu Ship Channel to create suitable habitat for this important rookery. Restoration work was completed in March of 2021.

Site Conditions & General Scope of Work:

- Since original construction, the NE side of the island has been experiencing shoreline erosion. The scope of this contract is to install gabion baskets filled with limestone along the impacted shoreline to slow future erosion. The gabion baskets will serve a dual purpose of protecting the shoreline and providing structure for growth of oyster resources.

- West Cove of Calcasieu lake is a Tier-1 Oyster Seed ground requiring no dredging for performance of the work. All equipment must remain floating at all times.

Bid Package and Addenda

- Electronic Bid Documents for this project are available without charge from http://coastal.la.gov/resources/rfps-rsiqs-contracts/bids/.

- Printed copies can also be obtained from:
  - Coastal Protection And Restoration Authority (CPRA)
    150 Terrace Avenue, Baton Rouge, LA 70802
    Attn: Sharissa Felder
    E-mail: cpra.bidding@la.gov
    Phone: (225) 342-7310 Fax: (225) 800-5599

Bid Document Questions

- Bidder Questions are due 7 days prior to the date for receipt of bids.
  COB Monday July 17, 2023

- Questions are to be submitted in writing via email to **cpra.bidding@la.gov**

- Questions will be addressed by addendum.

Bid Submittal Documents

- Complete the **LOUISIANA UNIFORM PUBLIC WORK BID FORM** in its entirety and review for completeness.

- Include a **CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public work as prescribed by LA R.S. 38:2212(B)(5).

- Attach a **BID SECURITY** in the amount of five percent (5%) of the base bid and all alternates. The bid security shall be in the form of a bid bond, certified check or cashier's check as prescribed by LA RS 38:2218(A) to be made a part of the bid.

- Acknowledge receipt of all **ADDENDA** on the bid form.

- The Bid envelope shall be opaque, include only one bid, and be labeled with:
  - The name of the project
  - The name, address, and Contractor License number

Bid Opening
Tuesday July 25, 2023 @ 2pm

Bid Delivery

- Bids will be received at **CPRA, 150 Terrace Avenue, 4th Floor Conference Center, Baton Rouge, Louisiana 70802 until 2 P.M., Tuesday, July 25, 2023**

- Bids can be delivered in person or via United States Mail or express delivery
  - If bidder chooses to hand deliver a bid the day of the opening, it is the bidder's responsibility to arrive with ample time to accommodate any building admittance procedures.
  - BID SUBMISSION WILL NOT BE ACCEPTED AFTER 2:00 P.M.

Contractor Licensure Requirement

Contractor licensed under LA. R.S. 37:2150-2192 for the classification of **Heavy Construction** and/or Specialty: **Coastal Restoration and Habitat Enhancement**.

Contract Time

The contract time is Base Bid: Ninety (90) consecutive calendar days, Alternate No. 1: Seven (7) calendar days, Alternate No. 2: Seven (7) calendar days

Liquidated Damages

The Contract is subject to liquidated damages at $2,200 per calendar day for completion of work beyond the designated contract time.

Retainage

A retainage amount of 5% is withheld from monthly partial payments to the contractor.

Davis Bacon Act

Prevailing wage determination schedules http://www.wdol.gov/dba.aspx#3 (US Dept of Labor website)

Navigation & Site Access

- Work shall not commence at the project site until on or after August 15, 2023.
- The contractor shall be responsible for navigating from a navigable water body to the project site.
- Coordination between the Contractor and LDWF (Mr. Jon Wiebe) may be required prior to commencement of work in order for LDWF to make recommendations on nest encroachment buffers to ensure birds are not disturbed or harassed.
- All equipment shall remain floating at all times during transit to and from the site as well as during the course of the work on site.
- No dredging is allowed for equipment access or for performance of the work.
- On island access is prohibited. All work shall be performed from the water.

Staging Area

A designated water based staging area is identified in the plans.

Work Plan

Layout of equipment staging and access routes are to be included in the work plan.

Bid Items

SUMMARY OF ESTIMATED QUANTITIES

Base Bid			
Item No.	Description	Unit	Estimated Quantity
1	Mobilization and Demobilization	LS	1
2	Surveys	LS	1
3	Non-Woven Geotextile Fabric	SY	1,382
4	Gabion Basket Shoreline Protection Unit	EA	267
5	Permanent Warning Signs	EA	4

Alternate 1			
Item No.	Description	Unit	Estimated Quantity
1-1	Mobilization and Demobilization	LS	1
2-1	Surveys	LS	1
3-1	Non-Woven Geotextile Fabric	SY	356
4-1	Gabion Baskets Shoreline Protection Unit	EA	69
5-1	Permanent Warning Signs	EA	1

Alternate 2			
Item No.	Description	Unit	Estimated Quantity
1-2	Mobilization and Demobilization	LS	1
2-2	Surveys	LS	1
3-2	Non-Woven Geotextile Fabric	SY	356
4-2	Gabion Baskets Shoreline Protection Unit	EA	69
5-2	Permanent Warning Signs	EA	1

Rabbit Island Restoration Shoreline Protection CS-0080

Shoreline Protection

Point Number	Easting	Northing	Inflection
24	2631173.8800	497843.2673	32
73	2631573.8970	497370.6833	53
101	2631717.0790	497007.3407	56
102	2631854.0390	497081.1317	49
116	2631837.0110	496838.7431	155
139	2632177.1160	496563.2655	89

Point Number	Easting	Northing	Inflection
1158	2630614.0000	498357.0000	355.96
1159	2630025.0000	498095.0000	42.38
1160	2631473.0000	497825.0000	40.72
1161	2631913.0000	497222.0000	77.12
1162	2632247.0000	496846.0000	154.39
1169	2630609.0000	498446.0000	122.04
1178	2631048.0000	498299.0000	811.65
1179	2632509.0000	496793.0000	54.62

Gabion Basket

TYPICAL SECTION
SCALE: 1" = 1'

ISOMETRIC VIEW
SCALE: 1" = 3'

Permanent Warning Signs

NOTES:

1. PERMANENT WARNINGS SIGNS, INCLUDING TIMBER PILES, SHALL BE INSTALLED AT LOCATIONS SHOWN ON PLANS FACING OPEN WATER. THE 2" BORDER ON THE WARNING SIGN WILL BE REFLECTIVE MATERIAL OF ORANGE COLOR. THE LETTERING FIELD WILL BE A REFLECTIVE MATERIAL OF WHITE COLOR. THE LETTERING FOR THE WARNING SIGNS WILL BE BLACK. ALL SIGNS MUST MEET U.S. COAST GUARD STANDARDS; IN ACCORDANCE WITH 33 CFR 330.4 (a)(1) WHICH CAN BE DOWNLOADED AT http://www.access.gpo.gov/nara/cfr/waisdx_0233cfr330_02.html.
2. NEOPRENE WASHERS SHALL BE PLACED BETWEEN THE SIGN AND THE PILING AT ALL POINTS OF CONTACT.
3. HARDWARE FOR TIMBER CONNECTIONS SHALL BE HOT DIP GALVANIZED IN ACCORDANCE WITH SECTION 811.5 OF THE LOUISIANA STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES, AS PUBLISHED BY THE LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT, LATEST EDITION.
4. TIMBER PILES SHALL CONFORM TO SECTIONS 804 AND 1014 OF THE LOUISIANA STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES, AS PUBLISHED BY THE LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT, LATEST EDITION. PILES SHALL BE CCA TREATED WITH A 2.5 RETENTION VALVE.
5. TIMBER PILINGS SHALL BE 40' IN LENGTH WITH NOMINAL 12" DIAMETER BUTT AND 7" MINIMUM DIAMETER AT THE TIP.
6. THE TOP OF THE PILES SHALL BE COATED WITH COAL TAR EPOXY PAINT PRIOR TO PLACING CAP. THE PILE CAP SHALL BE ATTACHED USING ALUMINUM OR STAINLESS STEEL NAILS. SEE SECTION 812.6 OF THE LOUISIANA DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT, LATEST EDITION.

PERMANENT WARNING SIGN TYPICAL DETAIL

SEE SHEET 4 FOR WARNING SIGN LOCATIONS

QUESTIONS?

SUBSCRIBE

@LouisianaCPRA

www.coastal.la.gov

ATTACHMENT C

"General Decision Number: LA20230004 06/30/2023

Superseded General Decision Number: LA20220004

State: Louisiana

Construction Type: Heavy

Counties: Allen, Assumption, Avoyelles, Beauregard, Bienville, Caldwell, Cameron, Catahoula, Claiborne, Concordia, De Soto, East Carroll, East Feliciana, Evangeline, Franklin, Grant, Iberia, Iberville, Jackson, Jefferson Davis, La Salle, Lincoln, Madison, Morehouse, Natchitoches, Pointe Coupee, Red River, Richland, Sabine, St Helena, St Mary, Tangipahoa, Tensas, Union, Vermilion, Vernon, Washington, West Carroll, West Feliciana and Winn Counties in Louisiana.

HEAVY CONSTRUCTION PROJECTS (includes water wells, water & sewer lines, and flood control; excludes elevated storage tanks)

Note: Contracts subject to the Davis-Bacon Act are generally required to pay at least the applicable minimum wage rate required under Executive Order 14026 or Executive Order 13658. Please note that these Executive Orders apply to covered contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but do not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60).

If the contract is entered into on or after January 30, 2022, or the contract is renewed or extended (e.g., an option is exercised) on or after January 30, 2022:	. Executive Order 14026 generally applies to the contract. . The contractor must pay all covered workers at least $16.20 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in 2023.
If the contract was awarded on or between January 1, 2015 and January 29, 2022, and the contract is not renewed or extended on or after January 30, 2022:	. Executive Order 13658 generally applies to the contract. . The contractor must pay all covered workers at least $12.15 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on that contract in 2023.

The applicable Executive Order minimum wage rate will be adjusted annually. If this contract is covered by one of the Executive Orders and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must still submit a conformance request.

Additional information on contractor requirements and worker protections under the Executive Orders is available at http://www.dol.gov/whd/govcontracts.

Modification Number	Publication Date
0	01/06/2023
1	01/13/2023
2	03/31/2023
3	04/14/2023
4	06/30/2023

ELEC0130-007 12/05/2022

ASSUMPTION AND ST. MARY (Northeast of Atchafalaya River) PARISHES

	Rates	Fringes
ELECTRICIAN.....	$ 32.75	14.51

ELEC0194-006 09/05/2022

BIENVILLE, CLAIBORNE, DE SOTO, NATCHITOCHES (Northeast of the Red River), and RED RIVER PARISHES

	Rates	Fringes
ELECTRICIAN.....	$ 31.25	14.34

ELEC0446-004 03/01/2023

CALDWELL, EAST CARROLL, FRANKLIN, JACKSON, LINCOLN, MADISON, MOREHOUSE, RICHLAND, TENSAS, UNION, and WEST CARROLL PARISHES

	Rates	Fringes
ELECTRICIAN.....	$ 26.95	2%+13.11

ELEC0576-002 03/01/2023

AVOYELLES, CATAHOULA, CONCORDIA, EVANGELINE, GRANT, LA SALLE, NATCHITOCHES (Southwest of Red River), SABINE, VERNON, AND WINN PARISHES

	Rates	Fringes
ELECTRICIAN.....	$ 26.90	4.25%+9.90

ELEC0861-004 09/01/2022

ALLEN, BEAUREGARD, CAMERON, IBERIA, JEFFERSON DAVIS, ST. MARY (Southwest of Atchafalaya River), AND VERMILION PARISHES

	Rates	Fringes
ELECTRICIAN.....	$ 29.53	4.34%+13.05

ELEC0995-002 01/01/2023

EAST FELICIANA, IBERVILLE, POINTE COUPEE, ST. HELENA, AND WEST FELICIANA PARISHES

	Rates	Fringes
ELECTRICIAN	$ 27.49	12.66

---

* ELEC1077-005 05/29/2023

TANGIPAHOA and WASHINGTON PARISHES

	Rates	Fringes
ELECTRICIAN	$ 27.89	3%+9.92

---

* SULA2004-008 05/19/2004

	Rates	Fringes
CARPENTER (including formsetting/formbuilding)	$ 14.75 **	0.00
Laborers:		
Common	$ 7.60 **	0.00
Pipelayer	$ 8.47 **	0.00
PIPEFITTER (excluding pipelaying)	$ 18.75	4.05
Power equipment operators:		
Backhoe/Excavator	$ 11.67 **	0.00
Boring Machine	$ 10.25 **	0.00
Bulldozer	$ 11.82 **	0.00
Crane	$ 13.60 **	0.00
Dragline	$ 13.12 **	0.00
Front End Loader	$ 9.93 **	0.00
Mechanic	$ 12.50 **	0.00
Trackhoe	$ 11.99 **	0.00
Tractor	$ 10.43 **	0.00
Water Well Driller	$ 10.73 **	2.01
Truck drivers:		
Dump	$ 10.00 **	0.00
Water	$ 8.00 **	0.00

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

==========

** Workers in this classification may be entitled to a higher minimum wage under Executive Order 14026 ($16.20) or 13658 ($12.15). Please see the Note at the top of the wage determination for more information.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their

own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at https://www.dol.gov/agencies/whd/government-contracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

* an existing published wage determination
* a survey underlying a wage determination
* a Wage and Hour Division letter setting forth a position on a wage determination matter
* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour National Office because National Office has responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations
Wage and Hour Division
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage

payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board
U.S. Department of Labor
200 Constitution Avenue, N.W.
Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

==========

END OF GENERAL DECISIO"